



Publications since 2011 - by years

2011

Aguillaume L, Gómez-Bolea A & Avila A 2011

Líquenes y briófitos epífitos como biomonitores de la contaminación atmosférica en dos encinares mediterráneos [p. 24]

-In: 18th Symposium on Cryptogamic Botany. Barcelona July 13rd-16th 2011. Abstract book.

[- Fr dilatata -]

Universitat de Barcelona, Facultat de Biologia & Facultat de Farmàcia

Universitat de Barcelona, Facultat de Biologia & Facultat de Farmàcia, , 149 pp.

[/ E] # 2707

Ahn Yeon-soon / 안연순 2011

국가생물종목록 (선태류) /National list of species of Korea (Moss, Liverwort)

[as2: Korea - Fr amplicrania, appendiculata, bolanderi, brotheri, davurica, densiloba, diversitexta, ericoides, fauriana, fuscovirens, hamatiloba, inflata, inflexa, kagoshimensis, muscicola, muscicola var. inuena, nepalensis, osumiensis, parvistipula, pedicellata, polyptera, schensiana, taradakensis, usamiensis - Check list]

정부간행물번호 Government publication number: 11-1480592-000242-01 National Institute of Biological Resources (NIBR), Incheon, 161 pp.

[P /] # 4565

Ah-Peng C & Boullet V [Coord] 2011

Version électronique de l'Index commenté des Bryophytes de la Réunion.

Index Commenté des bryophytes de la Réunion [version 2010.1 // mise à jour du 15 décembre 2010].

[29 afr3: Reunion - -]

<http://bryophyte.cbnm.org/recherche> ["Frullania", accessed 27.07.2011] Conservatoire Botanique National de Mascarin / Université de la Réunion, ,

[/ E] # 2714

Akiyama H, Furuki T, Sri-ngernyuang K & Kanzaki M 2011

Alphabetical list of bryophytes occurring in a 15 ha long-term monitoring plot at Doi Inthanon, Northern Thailand. [Hepatics det by T. Furuki]

-In: Kanzaki M & Sri-ngernyuang K, Diversity and Dynamics of Epiphyte, Hemiepiphyte, and Parasite in Tropical Forests of Doi Inthanon National Park (2008-2012)

[as3: Thailand (Doi Inthanon) - Fr alstoni, apiculata, claviloba, evoluta var tagawana, meyeniana -]

Complete Report of Thailand-Japan Cooperative Research Project (2008-2012)

Submitted to National Research Council of Thailand in September 2012, , 49-53

[/ E] # 4176

Allred KW 2011

Report on the 2010 SO BE FREE Foray in Southern New Mexico, With Eight New Moss Records for the State.

[- Fr eboracensis, inflata -]

Evansia, 28 (3), 74-77

[/ E] # 3174

Alvaro-Alba WR, Cárdenas-López D & Pinzón M 2011

Musgos, líquenes y hepáticas en la Amazonía

[Colombia - Fr nodulosa -]

Revista Colombia Amazonica, 4, 56-76

[/] # 4617

Arikawa T, Hirooka R, Kawai K, Tateishi Y & Nishimura N /

有川智己・廣岡涼子・川合啓二・立石幸敏・西村直樹 2011

鳥取県産コケ植物チェックリスト / A checklist of the bryophytes in Tottori Prefecture, Japan.

[38 JAP as2: Japan - Fr davurica, monocera, muscicola, oakesiana ssp takayuensis, pedicellata, tamarisci ssp obscura, usamiensis -]

Bulletin of the Tottori Prefectural Museum, 48, 103-118

[/ E] # 3723

Asakwawa Y 2011

Bryophytes: chemical diversity, synthesis and biotechnology. A review.

[- - Sesqui-terpenoids, diterpenoids, biological activity, hemisynthesis]

Flavour and Fragrance Journal, 26 (5), 318-320

[/ E] # 3240

Bainard JD 2011

Patterns and Biological Implications of DNA Content Variation in Land Plants.

Thesis (Dr. phil.) - University of Guelph

[- Fr dilatata, franciscana, nisquallensis -]

The University of Guelph, Guelph, Canada, 221 pp.

[/ E] # 3190

Bansal P, Nath V & Chaturvedi SK 2011

Epiphytic bryophytes on Thuja orientalis in Nagaland, North-eastern India.

[as3: India - Fr ericoides, wallichiana -]

Bangladesh Journal of Plant Taxonomy, 18 (2), 163-167

[/ E] # 3207

Barbhuiya HA & Singh SK 2011

Contribution to the Hepaticae and Anthocerotae of Mizoram - II. Frullania apiculata (Reinw. et al.) Dumort. new to Mizoram, India.

[as3: India (Mizoram) - Fr apiculata -]

Geophytology, 40 (1-2), 69-73

[/ E] # 3303

Bardat J, Ah-Peng C, Gradstein R, Lavocat-Bernard E & Thouvenot L 2011

Bryologie tropicale dans les régions d'Outre Mer: de la connaissance à la conservation.

[- Fr guadelupensis -]

www.premieres-rencontres-francaises-de-bryolo.. /Bardat_et-al.pdf, , 28 pp

[/ E] # 3292

Barringer K 2011

A Preliminary Catalog of New Jersey Hornworts and Liverworts.

[am1: USA (New Jersey) - -]

Bartonia, 64, 1-18

[/ E] # 3315

Bartholomew-Began SH & Vitt D 2011

Barbara J. Crandall-Stotler and Raymond E. Stotler – A tribute.

[- - Barbara J. Crandall-Stotler, Raymond E. Stotler]

The Bryologist, 114 (1), 1-8

[/ E] # 2868

Barukial J 2011

A Bryofloristic Ecological Assessment of Assam, India.

[as3: India (Assam) - Fr hampeana, muscicola, subclavata -]

Indian Journal of Fundamental and Applied Life Sciences, 1 (3), 98-106

[/ E] # 3146

Barukial J 2011

A Bryofloristic Ecological Assessment of Assam, India.

[as3: India (Assam) - Fr hampeana, muscicola, subclavata -]

Indian Journal of Fundamental and Applied Life Sciences, 1 (3), 98-106

[/ E] # 3351

Benavides JC & Gutierrez CA 2011

Effect of deforestation in palm-epiphytic bryophyte communities in a cloud forest in the northern Andes.

[- Fr brasiliensis -]

The Bryologist, 114 (1), 155-165

[/ E] # 2583

Benitez A & Gradstein SR 2011

Adiciones a la Flora de Briófitas del Ecuador.

[am4: Ecuador - Fr riojaneirensis -]

Cryptogamie, Bryologie, 32 (1), 65-74

[/ E] # 3808

Benner JW 2011

Epiphytes preferentially colonize high-phosphorus host trees in unfertilized Hawaiian montane forests.

[oc: Hawaii [USA] - - Epiphytes]

The Bryologist, 114 (2), 335-345

[/ E] # 2650

Bentsson O & Olausson B 2011

Undersökning av eventuella effekter på vegetation av damning från täktverksamhet. Rapport utgiven av MinBas II-programmet.

[- Fr tamarisci -]

Mineral•Ballast•Sten, Område 3, Rapport nr 3.1a-4, Göteborg, 64 pp.

[/ E] # 3660

Beveridge P & Lewington R 2011

Bryophyte records from the 25th John Child Workshop.

[aust2: New Zealand - Fr deplanata, falciloba, incumbens, monocera, patula, pentapleura, pycnantha, rostrata, scandens, setchellii, squarrosula -]

Australasian Bryological Newsletter, 59, 12-22

[/ E] # 3043

Bhattacharyya SD 2011

Threats and Conservation of Liverworts in India: An Overview.

[as3: India - Fr pariharii - Conservation]

Assam University Journal of Science & Technology: Biological and Environmental Sciences, 7 (1), 168-172

[/ E] # 3123

Bhattacharyya SD 2011

Threats and conservation of liverworts in India: An Overview

[as3: India - Fr pariharii - conservation]

Assam University Journal of Science & Technology: Biological and Environmental Sciences, 7 (1), 168-172

[/ E] # 4135

Bhattacharyya SD 2011

Threats and Conservation of Liverworts in India: An Overview.

[as3: India - Fr pariharii -]

Assam University Journal of Science & Technology, Biological and Environmental Sciences, 7 (1), 168-172

[/ E] # 2288

BouffordD Kelles S & Ree R 2011

Plants and fungi of south-central China. A biodiversity portal for the Sino-Himalayan region. Biodiversity of Hengduan Mountains and adjacent areas of south-central China.

[as2: China - -]

<http://hengduan.huh.harvard.edu/fieldnotes/specimens/search/search.zpt?action=search&st=frullania>
[accessed 26.7.2011, printed with "Make labels", Harvard University Herbaria], ,

[/ E] # 2704

Brito E da S 2011

Riqueza e aspectos ecológicos das briófitas do município de Soure e Cachoeira do Arari, Ilha do Marajó, Pará, Brasil.

Thesis - Dissertação (mestrado) - Universidade Federal Rural da Amazônia / Museu Paraense Emílio Goeldi

[am5: Brazil - Fr apiculata, gibbosa - with key]

, Belém – Pará, 144 pp.

[/ E] # 3717

Callaghan DA 2011

Notes on Cephaloziella massalongi and C. nicholsonii in Snowdonia.

[eur: Great Britain - Fr dilatata, tamarisci, fragilifolia -]

FieldBryology, 105, 2-9

[/ E] # 3215

Can JM 2011

Diversidad de hepáticas de los biotopos Cerro Cahuí, El Zotz y Laguna del Tigre, Petén, Guatemala. - Proyecto Fodecyt No. 56-2007.

[80 am2: Guatemala - Fr. ericoides -]

, Guatemala, 45 pp.

[/ E] # 3189

Chuah-Petiot MS 2011

A checklist of hepaticae and anthocerotae of Malaysia.

[as4: Malaysia - 67 Frullania spec. - Checklist]

Polish Botanical Journal, 56 (1), 1-44

[/ E] # 3242

Colloff MJ & Cairns A 2011

A novel association between oribatid mites and leafy liverworts (Marchantiophyta: Jungermanniiidae), with a description of a new species of Birobates Balogh, 1970 (Acari: Oribatida: Oripodidae).

[aust1: Australia (Queensland) - Fr ferdinandi-muelleri - Association between oribatid mites (Birobates hepaticolus sp nov) and Frullania]

Australian Journal of Entomology, 50, 72-77

[/ E] # 2754

Colloff MJ & Cairns A 2011

A novel association between oribatid mites and leafy liverworts (Marchantiophyta: Jungermanniiidae), with a description of a new species of Birobates Balogh, 1970 (Acari: Oribatida: Oripodidae) [Fr ferdinandi-muelleri]

[- - oribatid mites and leafy liverworts]

Australian Journal of Entomology, 50, 72-77

[/ E] # 2508

Cortini Pedrotti C & Aleffi M 2011

Lista rossa delle Briofite del Trentino. - Red-list of the Bryophytes of Trentino.

[eur: Italy - Fr jackii, riparia -]

Studi Tridentino di Scienze Naturali, 88, 5-27

[/ E] # 2649

Dandotiya D Govindaparyari H Suman S & Uniyal PL 2011

Checklist of the bryophytes of India.

[as3: India - Frullania, checklist p. 99-101, 42 spec. -]

Archive for Bryology, 88, 1-126

[/ E] # 2607

Darell P & Cronberg N 2011

Bryophytes in black alder swamps in south Sweden: habitat classification, environmental factors and life-strategies.

[eur: Sweden - Fr dilatata, tamarisci, fragillifolia -]

Lindbergia, 34, 9-29

[/ E] # 2501

Dauphin G, Wunderlin RP, Essig FB & Davison PG 2011

A checklist of the liverworts (Marchantiophyta) and hornworts (Anthocerotophyta) of Florida.

[am1: USA (Florida) - Fr brittoniae, caulisequa, cobrensis, compacta, donnellii, eboracensis ssp virginica, ericoides, gibbosa, inflata, inflata var communis, intumescens, kunzei, riojaneirensis, sabaliana, taxodiocola -]

Journal of the Botanical Research Institute of Texas, 5 (2), 773 – 814

[/ E] # 3419

Davies C 2011

Epiphyte diversity on Scottish aspen – a component of the extended phenotype.

Thesis (Dr. phil.) - Institute of Evolutionary Biology, School of Biological Sciences, University of Edinburgh

[- Fr dilatata - Epiphytes on aspen]

, , 265 pp.

[/ E] # 3556

Davis C 2011

Epiphyte diversity on Scottish aspen – a component of the extended phenotype.

Thesis (Doctor of Philosophy) - Institute of Evolutionary Biology, School of Biological Sciences, University of Edinburgh & Royal Botanic Garden Edinburgh & The James Hutton Institute, Aberdeen

[eur: Scotland - Fr dilatata -]

, , 263 pp.

[/ E] # 4014

Demars BOL & Britton A 2011

Assessing the impacts of small scale hydroelectric schemes on rare bryophytes and lichens.

[- Fr dilatata -]

Scottish Natural Heritage and Macaulay Land Use Institute Funded Report. Scottish Natural Heritage Commissioned Report No.421., , 49 pp.

[/ E] # 2724

Dey A & De JN 2011

Antifungal Bryophytes: A Possible Role Against Human Pathogens and in Plant Protection.

[- Fr muscicola - Antifungal, human pathogen, plant protection, bisbibenzyl]

Research Journal of Botany, 6 (4), 129-140,

[/ E] # 3206

Döring R 2011

Index Collectorum Herbarii Senckenbergiani (FR) - Herbarium Senckenbergianum, Frankfurt/Main (FR) [updated 13.04.2011]

[- - hb FR]

, , 174 pp.

[/ E] # 2622

Düll R 2011

Die Moose des Ahrtales. Artenvielfalt, Ökologie und Verbreitung. Eine Übersicht der bislang in diesem Gebiet bekannten Arten und ihr Vorkommen.

[eur: Germany (Ahrtal) - Fr dilatata, fragilifolia, tamarisci -]

, , 85 pp.

[/ E] # 2674

Evju M, Hassel K, Hagen D & Erikstad L 2011

Småkraftverk og sjeldne moser og lav. Kunnskap og kunnskapsmangler.

[eur: Norway - Fr bolanderi -]

NINA - Rapport 696., 696, 1-33

[/ E] # 2758

Faubert J, Gagnon J, Boudier P, Roy C, Gauthier R, Dignard N, Bastien D, Lapointe M, Dénomée N, Pellerin S & Rheault H 2011

Bryophytes nouvelles, rares et remarquables du Québec-Labrador.

[am1: Canada (Québec) - Fr brittoniae -]

Édité par l'Herbier du Québec. Direction de la recherche forestière. Ministère des Ressources naturelles et de la Faune., Québec, 198 pp.

[/ E] # 3191

Flóra T 2011

Fényviszonyok és az aljnövényzet közötti összefüggés vizsgálata őrségi erdőkben. [Analysis of the relationship between the lighting conditions and undergrowth forests.]

Thesis (Doktori értekezés) -

[eur: Hungaria - Fr dilatata -]

, ,

[/ E] # 3667

Fontinha S, Sim-Sim M, Lobo C & Luis L 2011

Os Briófitos das Zonas Costeiras da Madeira. Guia de algumas espécies.

[21 afr1: Madeira [Portugal] - Fr ericoides, sergiae, tamarisci -]

, , 104 pp.

[P /] # 3325

Frahm J-P 2011

Additions to the bryophyte flora of the Acores

[21 afr1: Azores [Portugal] - Fr tamarisci var. azorica -]

Archive for Bryology, 116, 1-8

[/ E] # 3415

Frahm J-P 2011

Die Moosflora ausgewählter Naturräume in Deutschland 3. Der Harz.

[eur: Germany - Fr fragilifolia -]

Archive for Bryology, 94, 1-10

[/ E] # 2702

Frahm J-P 2011

Bildatlas der Lebermoose Deutschlands.

[eur: Germany - Fr dilatata, fragilifolia, tamarisci - Pictorial atlas of liverworts]

Archive for Bryology, Special Volume, 3, 1-96

[/ E] # 2486

Frahm J-P 2011

Führer zu bryologischen Exkursionen 11. Die Moosflora des Rehtals bei Schaeferhof (Nordvogesen).

[eur: Germany - Fr dilatata, tamarisci -]

Archive for Bryology, 86, 1-7

[/ E] # 2551

Gabriel R, Homem N, Couto A, Aranda SC & Borges PAA 2011

Azorean bryophytes: a preliminary review of rarity patterns.

[21 afr1: Azores [Portugal] - Fr azorica, fragilifolia, microphylla, tamarisci, teneriffae -]

Açoreana, Suplemento, 7, 149-206

[/ E] # 3255

Glenny D & Dawson M 2011

Bryophyte survey of northern Mt William Range

Landcare Research Contract Report: LC 281

[aust2: New Zealand - Fr aterritima -]

Landcare Research, Lincoln, 42 pp.

[/ E] # 3402

Glenny D, Fife AJ, Brownsey PJ, Renner MAM, Braggins JE, Beevere JE & Hitchmough R 2011

Threatened and uncommon bryophytes of New Zealand (2010 revision).

[aust2: New Zealand - Fr 'Radar Bush' = wairua, apiculata, rostrata var 'Draco' = aff rostrata -]

New Zealand Journal of Botany, 49 (2), 305-327

[/ E] # 2647

Glime JM 2011

Utilidad económica y étnica de las briófitas / Economic and Ethnic Uses of Bryophytes.

In: Flora of North America Editorial Committee, eds. 1993+. Flora of North America North of Mexico. 15+ vols. New York & Oxford.

Traducción de Juan Larraín. Chile. Agosto de 2010. Edición 24 Febrero 2011

[- -]

, , 1-59

[/ E] # 2504

Goudie I 2011

Re-defining Old Growth and Biological Diversity in the Boreal Forest.

[- Fr tamarisci - Frullania & lichen]

The Osprey, Nature Newfoundland and Labrador, 42 (4), 8-15

[/ E] # 3352

Gradstein RS & León-Yáñez S 2011

Briofitas [p. 865-879]

-In: León-Yáñez, S., Valencia, R., Pitman, N., Endara, L., Ulloa Ulloa, C. & Navarrete, H. (eds.). Libro rojo de las plantas endémicas del Ecuador. 2ª edición.

[am4: Ecuador - Fr darwinii, formosa, gradsteinii, squamuligera - Red list]

Publicaciones del Herbario QCA,

Pontificia Universidad Católica del Ecuador, Quito, ,

[/ E] # 4000

Gradstein R & Uribe-M J 2011

A synopsis of the Frullaniaceae (Marchantiophyta) from Colombia.

[am4: Colombia - - Identification keys]

Caldasia, 33 (2), 347-376

[/ E] # 3230

Gradstein SR 2011

Guide to the Liverworts and Hornworts of Java. [Online version, only keys]

[as4: Indonesia (Java) - -]

<http://www.uni-goettingen.de/de/185837.html> (online publications), , 69 pp.

[/ E] # 3639

Gradstein SR & Ziemmeck F 2011

CDF Checklist of Galapagos Horn- Liverworts - FCD Lista de especies de Antocerotes y Hepáticas de Galápagos. Last updated 13 Apr 2011

-In: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzategui, G., Ruiz, D., Guézou, A. & Ziemmeck, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin..

[am4: Galapagos Isl - - Checklist]

<http://www.darwinfoundation.org/datazone/checklists/bryophytes/anthocerotophyta-hepatophyta/> Last updated 13 Apr 2011 Charles Darwin Foundation / Fundación Charles Darwin, Puerto Ayora, Galapagos, 16 pp

[/ E] # 2487

Gradstein SR 2011

Guide to the Liverworts and Hornworts of Java.

[as4: Indonesia (Java) - -]

, , 146 pp.

[P / E] # 3250

Guo D-X 2011

Chemical constituents of four liverworts and their biological activities.

Thesis (PhD thesis) - Shandong University

[- Fr inouei -]

, ,

[/] # 3674

Handa S, De D & Mahajan R 2011

Airborne contact dermatitis - current perspectives in etiopathogenesis and management

[- -]

Indian Journal of Dermatology, 56 (6), 700–706

[/] # 4437

Heinrichs J, Reiner-Drehwald ME, Feldberg K, von Konrat M, Hentschel J, Vána J, Grimaldi D, Nascimbene P & Schmidt AR 2011

The leafy liverwort *Frullania* (Jungermanniopsida) in the Cretaceous amber forest of Myanmar.

[as3: Myanmar - Fr baerlocheri - Fossil, amber, Albian, Early Cretaceous]

Review of Palaeobotany and Palynology [Accepted manuscript], ,

[/ E] # 2911

Heinrichs J, Kreier H-P, Feldberg K, Schmidt AR, Zhu R-L, Shaw B, Shaw AJ & Wissemann V 2011

Formalizing morphologically cryptic biological entities: New insights from DNA taxonomy, hybridization, and biogeography in the leafy liverwort *Porella platyphylla* (Jungermanniopsida, Porellales).

[- - Molecular systematics, DNA taxonomy, cryptic speciation, Epitype, Hybridization, Incongruence, *Porella*]

American Journal of Botany, 98 (8), 1252-1262

[/ E] # 2854

Heras Pinfante M, Biurrun I, Campos JA & Berastegi A 2011

Flora de los hábitats hidroturbosos del Noroeste de Navarra.

-In: Ninot, J.M. et al. [Edit.]: Botánica Pirenaico-cantábrica. Actes del IX Col·loqui Internacional de Botànica Pirenaico-cantábrica a Ordino, Andorra,

[eur: Spain (Navarra) - Fr dilatata, fragilifolia, tamarisci -]

, , 191-200

[/ E] # 3464

Hespanhol H, Séneca A Figueira R & Sérgio C 2011

Microhabitat effects on bryophyte species richness and community distribution on exposed rock outcrops in Portugal.

[eur: Portugal - Fr dilatata, fragilifolia, tamarisci - Conservation, life strategies, microhabitat specificity, rock outcrops]

Plant Ecology & Diversity, 4 (2-3), 251-264

[/ E] # 3052

Higuchi M 2011

Endemic Species of Bryophytes in Japan.

[38 JAP as2: Japan - Fr amamiensis, cristata, iriomotensis, iwatsukii, okinawensis, pseudoalstonii, schensiana var. punctata, zennoskeana -]

Bulletin of the National Science Museum. Series B, Botany, 37 (3), 117–126,

[/ E] # 3851

Hofton TH 2011

Naturtypekartlegging (nykartlegging og reinventeringer) i Bø kommune (Telemark) 2010.

[eur: Norway - Fr bolanderi -]

BioFokus-rapport 2011-19, , 77 pp.

[/ E] # 2960

Hosoi K & Yamada K 2011

A literature list of liverworts and hornworts from four prefectures (Shizuoka, Aichi, Gifu and Mie) in central Honshu, Japan.

[as2: Japan (Honshu) - - Literature list]

Naturalistae / 学術資料, 15, 89-106

[/ E] # 2823

Hsu Y-C / 許毓純 2011

國立臺灣博物館館藏賴明洲教授採集標本資料分析—引證標本資料調查與補充

Addendum of the Specimens Metadata of Lichen and Bryophyte collected by Professor Ming-Jou Lai - Addition Data of the Specimens Examined.

[as2: Taiwan - Fr tamarisci ssp obscura -]

, , 26 pp.

[/ E] # 2940

Ingerpuu N, Kalda A, Kannukene L, Krall H, Kupper T, Leis M & Vellak K 2011

Eesti sammalde nimestik. List of Estonian bryophytes. Täiendatud: 06. oktoober, 2011. Updated: October 06, 2011.

[eur: Estonia - Fr dilatata, tamarisci -]

http://moritz.botany.ut.ee/bruuloogia/EESTI_SAMMALDE_TAKSOONID_2011.pdf [accessed 30.11.2011], , 11pp.

[/ E] # 3144

Janssens JA 2011

Field guide to mosses and liverworts of Minnesota's calcareous fens.

[am1: USA (Minnesota) - Fr bolanderi -]

, Mineapolis,

[/ E] # 3858

Jiang J-Y & Yang T-S / 蒋洁云 & 杨廷生 2011

毕节试验区罩子山苔藓植物区系研究 / Study on the Mosses Flora in Zhaozishan Mountain of Bijie Experimental Region.

[as2: China - Fr davurica -]

Journal of Bijie University / 毕节学院学报, 29 (8) [133], 18-26

[/ E] # 3022

Jordal JB & Johnsen JI 2011

Supplerande kartlegging av naturtyper i Rogaland i 2010.

[eur: Norway - Fr dilatata, tamarisci -]

Miljørapport nr. 1 - 2011, , 1-112

[/ E] # 2205

Kanai K 2011

Bryophytes around the summit of Mt. Mikuni-yama.

[as2: Japan - -]

, 32, 19-26

[/ E] # 2494

Keceli T, Ursavas S & Abay G 2011

Türkiye'nin B6 Karesinin bryophyta kontrl listesi. [The bryophyte check-list for B6 square of Turkey.]

[as5: Turkey - Fr dilatata, tamarisci -]

Bartın Orman Fakültesi Dergisi, 19, 14-24

[/ E] # 2822

Klama H & Żarnowiec J 2011

Mszaki zespołu przyrodniczo-krajobrazowego „Gościńska Dolina” w Bielsku-Białej (Pogórze Śląskie, południowa Polska) / Bryophytes of the “Gościńska Dolina” protected area in Bielsko-Biała (Pogórze Śląskie foothills, southern Poland).

[eur: Poland - Fr dilatata -]

Nauka Przyroda Technologie, 5 (4) #70, 1-13

[/ E] # 3213

Klips B 2011

Ohio moss and lichen associations.

[am1: USA (Ohio) - Fr brittoniae -]

Obelisk, 8 (1), 3-6

[/ E] # 3216

Klips B & Rose J 2011

Bryophytes recorded on the 2011 Fall Foray in Crawford (C) and Morrow (M) Counties.

[am1: USA - Fr eboracensis, inflata -]

Obelisk, 8 (1), 26-27

[/ E] # 3217

Komala I, Ito T, Nagashima F, Yagi Y & Asakawa Y 2011

Cytotoxic bibenzyls, and germacrane- and pinguisane-type sesquiterpenoids from Indonesian, Tahitian and Japanese liverworts.

[- Unidentified Indonesian and Tahitian Frullania species - Phytochemistry]

Natural Product Communications, 6 (3), 303-309

[/ E] # 2755

Konstantinova NA & Savchenko AN - НА Константинова АН Савченко 2011

New liverwort records from Republic of Adygeya. 1. – Новые находки печеночников из республики Адыгея. 1.

[Russia - Fr riparia -]

Arctoa, 19, 270

[/ E] # 3785

Konstantinova NA 2011

Contribution to the hepatic flora of the Republic of Dagestan (Eastern Caucasus, Russia).

[Russia (Dagestan) - Fr inflata, jackii, parvistipula, riparia, tamarisci -]

Arctoa, 20, 175-182

[/ E] # 3238

Konstantinova NA & Savchenko AN - КОНСТАНТИНОВА НА & САВЧЕНКО АН 2011

К ФЛОРЕ ПЕЧЕНОЧНИКОВ СОЧИНСКОГО НАЦИОНАЛЬНОГО ПАРКА (ЗАПАДНЫЙ КАВКАЗ) / To the Hepatic flora of the Sochi National Park (Western Caucasus)

[as1: Russia (Caucasus) - Fr dilatata, tamarisci -]

Novitates Sytematicae Plantarum non Vascularum / НОВОСТИ СИСТЕМАТИКИ НИЗШИХ РАСТЕНИЙ, 45, 121-134

[/ E] # 4011

Konstantinova NA & Doroshina GYa – НА Константинова ГЯ Дорошина 2011

New liverwort records from Republic of Kalmykiya. 1. – Новые находки печеночников из Республики Калмыкия. 1.

[Russia - Fr dilatata -]

Arctoa, 20, 256

[/ E] # 3789

Koperski M 2011

Die Moose des Nationalparks Harz. Eine kommentierte Artenliste.

[eur: Germany - Fr dilatata, fragilifolia, tamarisci -]

Schriftenreihe aus dem Nationalpark Harz, 8, 1-250

[P /] # 3462

Kürschner H & Frey W 2011

Liverworts, Mosses and Hornworts of Southwest Asia (Marchantiophyta, Bryophyta, Anthocerotophyta). A systematic treatise on liverworts, mosses and hornworts with keys to genera and species occurring in Afghanistan, Bahrain, Iraq, Iran, Israel, Jordan, Kuwait, Lebanon, Oman, Qatar, Saudi Arabia, Sinai Peninsula, Syria, Turkey, United Arab Emirates and Yemen (incl. Socotra Island).

[- -]

Nova Hedwigia, Beiheft, 139, 1-240

[P / E] # 2532

Kusama AW 2011

Penggunaan tumbuhan sebagai bioindikator dalam pemantauan pencemaran udara. / Application of plants as bioindikator in air monitoring pollution.

[as4: Indonesia - Fr dilatata -]

, ,

[/ E] # 3658

Kushnevskaja EV & Ryazanova DT – ЕВ Кушневская ДТ Рязанова 2011

Новые находки печеночников Тверской области. 2. – New liverwort records from Tver Province. 2.

[Russia - Fr oakesiana -]

, 19, 267-268

[/ E] # 3784

Lakatos M 2011

Lichens and Bryophytes: Habitats and Species [Chapter 5]

-In: Lüttge, U., Beck, E. & Barteis, D. [Ed.]: Plant Desiccation Tolerance.

[- -]

Ecological Studies, 215, 65-87

[/ E] # 2891

Lavocat Bernarda E & Schäfer-Verwimp A 2011

Checklist of the bryophytes of the Guadeloupe archipelago and Martinique (French West Indies).

[81 am3: Guadeloupe archipelago, Martinique - atrata, beyrichiana, brasiliensis, breuteliana, caulisequa, guadalupensis, intumescens, involuta, kunzei, minima, riojaneirensis, subtilissima, trigona, urbanii - Checklist]

Cryptogamie, Bryologie, 32 (2), 233-272

[/ E] # 3130

Lin S-H 2011

南投縣中寮鄉的苔蘚植物 - Bryophytes of Chungliao County, Nantou Hsien

[as2: Taiwan - Fr ericoides -]

http://bryophytesintw.blogspot.com/2011/05/shan-hsiung-lin-bryophytes-of-chungliao_26.html

2011年5月26日星期四, ,

[/ E] # 2498

Liu C-C / 劉祝娟 2011

桃園縣拉拉山國有林自然保護區石頭步道及木棧道旁的角蘚類及蘚類植物 / The liverworts and hornworts of the track leading tot Giant Wood of Lalashan Forest Reserve, Taoyan County.

Master degree: 碩士

[as2: Taiwan - Fr hiroshii, moniliata -]

, , 164 pp.

[/ E] # 3014

Lloret F & González-Mancebo JM 2011

Altitudinal distribution patterns of bryophytes in the Canary Islands and vulnerability to climate change.

Article in Press, Corrected Proof, Available online 8 June 2011

[21 afr1: [Spain] Canary Islands - Fr azorica, dilatata, ericoides, fragilifolia, microphylla, polysticta, tamarisci, teneriffae -]

Flora (Morphology, Distribution, Functional Ecology of Plants)

doi:10.1016/j.flora.2011.04.007, ,

[/ E] # 2648

Lönnel N 2011

Wind dispersal of spores with focus on bryophytes.

Plant Ecology 2011/3, Department of Botany, Stockholm University

[- Fr dilatata - Spores, long-distance dispersal]

, , 38 pp.

[/ E] # 3623

Machado P de S 2011

Briófitas urbanas de Juiz de Fora, Minas Gerais (Brasil).

Thesis - Dissertação (Mestrado em Ecologia) Universidade Federal de Juiz de Fora.

[am5: Brasil - Fr dusenii, ericoides, kunzei, platycaly, riojaneirensis -]

, Juiz de Fora, 183 pp.

[/ E] # 3150

Mamontov Y,S Konstantinova NA & Afonina OM – ЮСМамонтов НА Константинова ОМ Афонина 2011

New liverwort records from Zabaikal'sky Territory. 5. – Новые находки печеночников в Забайкальском крае. 5.

[Russia - Fr inflata -]

Arctoa, 20, 259-261

[/ E] # 3790

Mamontov YuS, Konstantinova NA & Afonina OM - ЮС Мамонтов НА Константинова ОМ Афонина 2011

New liverwort records from Zabaikal'sky Territory. 4. – Новые находки печеночников в Забайкальском крае. 4.

[Russia - Fr bolanderi, muscicola, parvistipula -]

Arctoa, 19, 275-277

[/ E] # 3786

Manju CN 2011

Bryophyte diversity of the Western Ghats – an appraisal. [With Preliminary list of Bryophytes of the Western Ghats]

[as3: India (South India: Kerala, Tamil Nadu, Karnataka) (Western Ghats, Nilgiri Hills) - Frullania 22 species -]

Samagra, 7, 29-44

[/ E] # 3443

Manju CN & Rajesh KP 2011

Contribution to the bryophyte flora of India: the Parambikulam Tiger Reserve in the Western Ghats.

[as3: India (Kerala) - Fr tamarisci ssp obscura -]

Archive for Bryology, 92, 1-10

[/ E] # 2659

McAvoy WA, Knapp WM & Biechele LT 2011

An annotated check list of the liverworts and hornworts of the Delmarva Peninsula.

[am1: USA (Virginia, Maryland, Delaware) - Fr asagrayana, eboracensis, eboracensis ssp virginica, ericoides, inflata, - Checklist annotated]

The Journal of the Torrey Botanical Society, 138 (1), 239-251

[/ E] # 3036

Ming R, Bendahmane A & Renner SS 2011

Sex Chromosomes in Land Plants. [Bryophytes p. 492-493]

[- Fr dilatata - Chromosomes]

The Annual Review of Plant Biology, 61, 485-514

[/ E] # 3212

Müller F, Pócs T & Shevock JR 2011

Additions to the liverwort and hornwort flora of São Tomé and Príncipe.

[am3: São Tomé and Príncipe - Fr apiculata, spongiosa -]

Tropical Bryology, 33, 19-22

[/ E] # 3223

Müller F, Baumann M & Biedermann S 2011

Bemerkenswerte Moosfunde aus Sachsen und dem angrenzenden Böhmen aus den Jahren 2008 bis 2011

[eur: Germany - Fr dilatata, tamarisci -]

Sächsische Floristische Mitteilungen, 14, 75-97

[/ E] # 4169

Mutis JC 2011

Drawings of the Royal Botanical Expedition to the new Kingdom of Granada (1783-1816) -

Digitalization project of the drawings of the Royal Botanical Expedition to the New Kingdom of Granada (1783-1816) directed by José Celestino Mutis. Real Jardín Botánico - CSIC.

[- - José Celestino Mutis]

www.rjb.csic.es/icones/mutis [Accessed 29.08.2011]

[A-9 Jungermannia = Frullania] www.rjb.csic.es/icones/mutis/paginas/laminadibujo.php?lamina=11, ,

[/ E] # 2924

Nagashima F & Asakawa Y 2011

Terpenoids and Bibenzyls from Three Argentine Liverworts

[am6: Argentina - Fr brasiliensis - Bibenzyl, rosane, chemosystematics]

Molecules, 16, 10471-10478

[/ E] # 3169

Nagashima F & Asakawa Y 2011

Terpenoids and bibenzyls from three Argentine liverworts.

[- Fr brasiliensis - Chemosystematics]

Molecules, 16 (12), 10471-10478

[/ E] # 4065

NN 2011

Checkliste der Schweizer Moose. [Stand 03.07.2011]

Nationales Inventar der Schweizer Moosflora.

Institut für Systematische Botanik der Universität Zürich

[eur: Switzerland - - Checklist]

http://www.nism.uzh.ch/database/checklistpdf_de.php [accessed 3.7.2011] Institut für Systematische Botanik der Universität Zürich., Zürich, 39 pp.

[/ E] # 2676

NN 2011

The Adventures of Destiny and 超好: A walk in the woods. Bryophyte and Lichen Biodiversity at Fallen Rock State Preserve.

[am1: USA (Iowa) - Fr eboracensis -]

www.eeob.iastate.edu/faculty/profiles/.../BIO455FinalReport-2011.pdf [accessed 11.8.2011] Iowa State University, , 56 pp.

[/ E] # 2835

NN 2011

NatureServe Explorer: An online encyclopedia of life [web application]. Search for Frullania.

[am1: USA, Canada - 25 Frullania species -]

<http://www.natureserve.org/explorer> [accessed 25.08.2011, ,

[/ E] # 2900

nn 2011

Briófitas dos picos do Cuscuzeiro e do Cardoso, estado de São Paulo, Brasil. APÊNDICE. Espécies de briófitas ocorrentes em dois picos no estado de São Paulo, Brasil. Legenda: * primeira citação para picos no Brasil; 1. Vital & Visnadi (2000).

[am5: Brazil - Fr apiculata, caulisequa, grossifolia, setigera, vitalii -]

Bol. Mus. Para. Emílio Goeldi. Cienc. Nat., Belém, 6 (3), 307-317

[/ E] # 3224

NN 2011

Frullania jackii GOTTSCHE. - Red Data Book of Bulgaria / Червена Книга на Република България

-In: Velchev, V. Red Data Book of the People's Republic of Bulgaria: Volume 1, Plants

[eur: Bulgaria - Fr jackii -]

<http://e-ecodb.bas.bg/rdb/bg/vol1/Frujacki.html> [accessed 08.09.2011], , 3 pp.

[/ E] # 2988

NN 2011

Frullania fragilifolia. - Red Data Book of Bulgaria / Червена Книга на Република България

-In: Velchev, V. Red Data Book of the People's Republic of Bulgaria: Volume 1, Plants

[eur: Bulgaria - Fr fragilifolia -]

<http://e-ecodb.bas.bg/rdb/en/vol1/Frufragi.html> [accessed 08.09.2011], , 3 pp.

[/ E] # 2989

NN 2011

Skötselplan för naturreservatet Hälleberget i Halmstads kommun.

Skötselplan 2011-11-29, Bilaga 1, 1 av 12, 511-24993-09

[eur: Sweden - Fr fragilifolia -]

www.lansstyrelsen.se/.../Halleberget-skotselplan [accessed 10.12.2011], Halmstad,

[/ E] # 3162

NN 2011

University of Colorado [COLO] Bryophyte Type Specimens. 435 Records. [Scientific name only]

[- Fr inconstans, mayebarae - hb COLO]

<http://cumuseum.colorado.edu/Research/Botany/Databases/BryophyteTypeSpeciesList.pdf> [accessed 30.11.2011], , 10 pp.

[/ E] # 3138

NN 2011

University of Colorado [COLO] Bryophyte Type Specimens. 435 Records. [entire label information]

[- Fr inconstans, mayebarae - hb COLO]

<http://cumuseum.colorado.edu/Research/Botany/Databases/BryophyteTypeSpecimens.pdf> [accessed 30.11.2011], , 112 pp.

[/ E] # 3139

NN 2011

Type Specimen Database of the University of Colorado Herbarium (COLO) - COLO Bryophyte Type Specimens (entire label information).

[- Fr inconstans, mayebarae - hb COLO]

<http://cumuseum.colorado.edu/Research/Botany/Databases/BryophyteTypeSpecimens.pdf> (compiled 12.5.2011, accessed 1.6.2011), , 112 pp.

[/ E] # 2627

NN 2011

Briófitas da Pedra da Ferida.

Agencia Nacional para a Cultura Científica e Tecnológica. Ciência Viva no Verão 2011.

[eur: Portugal - Fr tamarisci -]

[www.cienciaviva.pt/.../Briófitas%20da%20Pedra%20da%20Ferida\(1\).pdf](http://www.cienciaviva.pt/.../Briófitas%20da%20Pedra%20da%20Ferida(1).pdf) [accessed 26.7.2011], , 6 pp.

[/ E] # 2716

NN 2011

Checklist of Liverworts in Amgueddfa Cymru-National Museum Wales (NMW).

[- - hb NMW]

, , 33 pp.

[/ E] # 3252

NN 2011

St.Kilda - United Kingdom - Scotland.

United Nations Environment Programme - World Conservation Monitoring Centre

[eur: Great Britain (St.Kilda) - Fr teneriffae -]

www.unep-wcmc.org/medialibrary/2011/06/23/.../St%20Kilda.pdf [accessed 22.7.2011], , 7 pp.

[/ E] # 2708

NN 2011

Kerekesféreg-lakta májmoha (Frullania dilatata) / Instructions and patterns Worm wheel-inhabited liverwort (Frullania dilatata). [craft instructions for model]

[The project is the realization of the National Cultural Fund (NKA Directorate, 1085 Budapest, Gyulai Pál u. 13.) Information and Culture College of Environment No. 032/25/09 decision of the 2533/0006 number of applications supported.]

[- Fr dilatata - Craft instructions for model]

modell.biologus.hu/pdf/kerekesfereglaktamaj.pdf, , 4 pp.

[/ E] # 3413

NN 2011

Favourite native plants - 2011

[aust2: New Zealand - Fr wairua -]

New Zealand Plant Conservation Network, , 13 pp.

[/ E] # 3416

NN - Smithsonian 2011

Type Specimen Register - Smithsonian Institution, National Museum of Natural History United States National Harbarium (US)

[- - hb US]

<http://botany.si.edu/types/> [accessed 27.5.2010], ,

[/ E] # 632

NN - The Swedish Museum of Natural History 2011

Botanical database at the Swedish Museum of Natural History - Krypto-S. [Find specimens - bryophytes]

[- - hb S]

http://andor.nrm.se/fmi/xsl/kryptos/kbo/publFindspecies.xsl?-view&-db=kbo_mossregister&-token.languagecode=en-GB [accessed 27.5.2011], ,

[/ E] # 2600

**O'Halloran J, Irwin S, Kelly DL, Kelly TC, Mitchell FJG, Coote L, Oxbrough A, Wilson MW, Martin RD, Moore K, Sweeney O, Dietzsch AC, Walsh A, Keady S & French V
Fox H Kopke K Butler F & Neville P 2011**

Management of biodiversity in a range of Irish forest types.

Report prepared for the Department of Agriculture, Fisheries and Food.

[eur: Ireland - Fr dilatata, tamarisci -]

, , 391 pp.

[/ E] # 3054

Oesau A 2011

Beiträge zur Moosflora des Naturschutzgebietes „Ölberg Wöllstein“ (Rheinhessen, Rheinland-Pfalz).

[eur: Germany - Fr tamarisci -]

Archive for Bryology, 109, 1-9

[/ E] # 3046

Oesau A 2011

Moose im Naturschutzgebiet „Fichtekopf und Saukopf“ bei Langenlonsheim im unteren Nahetal (Rheinland-Pfalz).

[eur: Germany (Rheinland-Pfalz) - Fr dilatata -]

Archive for Bryology, 80, 1-10

[/ E] # 3047

Oesau A 2011

Moose im Geschützten Landschaftsbestandteil „Scheerwald“ bei Laubenheim an der Nahe (Kreis Bad Kreuznach, Rheinland-Pfalz).

[eur: Germany (Rheinland-Pfalz) - Fr dilatata -]

Archive for Bryology, 111, 1-7

[/ E] # 3048

Oesau A 2011

Zur Moosflora des Trollbachtals bei Münster-Sarmsheim (Rheinland-Pfalz).

[eur: Germany (Rheinland-Pfalz) - Fr dilatata, tamarisci -]

Archive for Bryology, 114, 1-15

[/ E] # 3186

Otoguro K, Iwatsuki M, Ishiyama A, Namatame M, Nishihara-Tukashima A, Kiyohara H, Hashimoto T, Asakawa Y, Omura S & Yamada H 2011

In vitro antitrypanosomal activity of plant terpenes against *Trypanosoma brucei*.

[- - Chemistry, Frullanolide, no antitrypanosomal activity, no bioactivity]

Phytochemistry, 72, 2024-2030

[/ E] # 2374

Papp B, Rayna Natcheva R & Ganeva A 2011

The bryophyte flora of Northern Mt Strandzha.

[eur: Bulgaria - -]

Phytologia Balcanica, 17 (1), 21-32

[/ E] # 2063

Parrott J 2011

Controlling *Rhododendron ponticum* in native woodlands. Report on a training workshop Kinloch Hourn, 17-22nd October 2011 [KLH workshop REPORT].

[eur: Scotland - Fr dilatata, fragilifolia, tamarisci, teneriffae -]

Scottish Native Woods, , 13 pp.

[/ E] # 3239

Patiño J & González-Mancebo JM 2011

Exploring the effect of host tree identity on epiphyte bryophyte communities in different Canarian subtropical cloud forests.

[21 afr1: [Spain] Canary Islands - Fr dilatata, microphylla, polysticta, tamarisci, teneriffae -]

Plant Ecology, 212 (3), 433-449

[/ E] # 2651

Peralta D, Silva Brito E, da Varão LF, Conceição GM & Cunha IPR 2011

Novas ocorrências e lista das briófitas do estado do Maranhão, Brasil. / New records and a bryophyte checklist to Maranhão state, Brazil.

[am5: Brazil - Fr caulisequa, dusenii, ericoides, gibbosa, glomerata -]

Pesquisa em Foco, 19 (1), 63-78

[/ E] # 3618

Pereira de Noronha MR & Michelan MN 2011

Bryophyta [Powerpoint presentation].

[- Fr dilatata, pycnantha -]

<http://www.zoo.feis.unesp.br/material-didatico/Nat%e1lia%20Michelan/BRYOPHYTA - 2011.pdf> [accessed 11.1.2012], , 133 pp.

[/ E] # 3221

Pérez MP, Can JM, Cárcamo PL & Gálvez MVR 2011

Diversidad de hepáticas de los biotopos Cerro Cahuí, El Zotz y Laguna del Tigre, Petén, Guatemala.

[80 am2: Guatemala - Fr ericoides -]

, , 57 pp.

[/ E] # 3579

Perret J-L 2011

Basisdaten aus dem Biodiversitäts-Monitoring Schweiz BDM Z8 - Bestand erfasster Arten: Moose

[eur: Switzerland - Fr dilatata, fragilifolia, jackii, tamarisci -]

Schweizerische Eidgenossenschaft - Bundesamt für Umwelt BAFU, , 36 pp.

[/ E] # 3385

Potemkin AD & Notov AA 2011

Новые находки мохообразных в Тверской области. 3. – New bryophyte records from Tver Province. 3.

[Russia - Fr bolanderi, oakesiana -]

Arctoa, 20, 249-251

[/ E] # 3788

Preston CD, Harrower CA & Hill MO 2011

Distribution patterns in British and Irish liverworts and hornworts.

[eur: Great Britain, Ireland - Fr dilatata, fragilifolia, microphylla, tamarisci, teneriffae - Cluster analysis]

Journal of Bryology, 33 (1), 3-16

[/ E] # 2698

Preussing M et alii 2011

Waldartenliste der Moose Deutschlands.

[eur: Germany - Fr dilatata, fragilifolia, jackii, tamarisci -]

www.nw-fva.de/.../BfNSkript299_6_Waldartenliste_Moose.pdf [accessed 30.11.2011], , 75-88

[/ E] # 3136

Risk AD, Richardson C & Davison P 2011

Epiphyllous bryophytes in the Appalachian Plateau of Kentucky and Tennessee, U.S.A.

[am1: USA - Fr asagrayana, eboracensis - Epiphyllous species]

The Bryologist, 114 (2), 289–297

[/ E] # 2697

Rist L, Shanley P, Sunderland T, Sheil D, Ndoye O, Liswanti N & Tieguhong J 2011

The impacts of selective logging on non-timber forest products of livelihood importance.

[- Fr convoluta -]

Forest Ecology and Management [Article in press], , 1-13

[/ E] # 3257

Roell D & Baniahmad A 2011

The natural compounds atraric acid and N-butylbenzene-sulfonamide as antagonists of the human androgen receptor and inhibitors of prostate cancer cell growth.

[- Fr brasiliensis - Biochemistry]

Molecular and Cellular Endocrinology

[Accepted manuskript; <http://peer.ccsd.cnrs.fr/peer-00654968/fr/>, accessed 10.1.2012], 332 (1-2),

[/ E] # 3209

Romanski J, Pharo EJ & Kirkpatrick JB 2011

Supplementary on-line Table S1 to: Romanski et al. 2011. Epiphytic bryophytes and habitat variation in montane rainforest, Peru.

[am4: Peru - Fr apiculata, convoluta, brasiliensis, riojaneirensis, stenostipa -]

The Bryologist, 114(4), 720-731

[/ E] # 3486

Romanski J, Pharo EJ & Kirkpatrick JB 2011

Epiphytic bryophytes and habitat variation in montane rainforest, Peru.

[am4: Peru - Fr convoluta, brasiliensis -]

The Bryologist, 114(4), 720-731

[/ E] # 3282

Rooyen van JC, Malt JM & Lank DB 2011

Relating Microclimate to Epiphyte Availability: Edge Effects on Nesting Habitat Availability for the Marbled Murrelet

[am1: Canada (British Columbia) - - Building material for bird's nest]

Northwest Science, 85 (49), 549-561

[/ E] # 3175

Rowntree JK, Pressel S, Ramsay MM, Sabovljevic A & Sabovljevic M 2011

In vitro conservation of European bryophytes.

[eur - Fr bolanderi, oakesiana - Cryopreservation, Ex situ conservation]

In Vitro Cellular & Developmental Biology - Plant, 47, 55-64

[/ E] # 2800

Rubtsova AV - Рубцова АВ 2011

ТАКСОНОМИЧЕСКИЙ АНАЛИЗ БРИОФЛОРЫ УДМУРТСКОЙ РЕСПУБЛИКИ - The taxonomical analysis of the bryophlora of Udmurt Republic.

[- -]

, , 75-80

[/ E] # 2953

Rusterholz H-P, Bertram J & Baur B 2011

Artenvielfalt und Naturschutzwert des Felsgebietes Fulnau westlich von Seewen SO.

[eur: Switzerland - Fr dilatata, tamarisci -]

Naturforschende Gesellschaft des Kantons Solothurn - Mitteilungen, 41, 99-117

[/ E] # 3049

Santos ND, Costa DP, Kinoshita LS & Shepherd GJ 2011

Aspectos brioflorísticos e fitogeográficos de duas formações costeiras de Floresta Atlântica da Serra do Mar, Ubatuba/SP, Brasil.

[am5: Brasil (São Paulo state) - Fr brasiliensis, caulisequa, kunzei - Bryoflora of Restinga Forest and Lowland Ombrophilous Dense Forest]

Biota Neotropica, 11 (2), 1-14

[/ E] # 2764

Sasaki S / 佐々木シゲ子 2011

芦ノ湖西岸（神奈川県）のコケ植物 / Bryophytes of areas west of Lake Ashinoko, Hakone, Kanagawa Pref. (Japan).

[38 JAP as2: Japan - Fr davurica, hamatiloba, muscicola, parvistipula, tamarisci ssp. obscura, taradakensis, usamiensis -]

Natural Environmental Science Research, 24, 7-20

[/ E] # 3412

Schmalholz M, Hylander K & Frego K 2011

Bryophyte species richness and composition in young forests regenerated after clear-cut logging versus after wildfire and spruce budworm outbreak.

[am1: Canada - Fr bolanderi, brittoniae, eboracensis, oakesiana, tamarisci ssp. asagrayana -]

, 20, 2575-2596

[/ E] # 3127

Schmidt M, Kriebitzsch W-U & Ewald J [Red] 2011

Waldartenlisten der Farn- und Blütenpflanzen, Moose und Flechten Deutschlands.

[eur: Germany - Fr dilatata, fragilifolia, jackii, tamarisci -]

BfN-Skripten, 299, 1-166

[/ E] # 3988

Sérgio C & Garcia C 2011

Bryophyte flora of São Tomé e Príncipe Archipelago (West Africa): annotated catalogue.

[23 afr2: São Tomé e Príncipe - Fr angulata, apicalis, arecae, cafraria, diptera, ecklonii, ericoides, obscurifolia, purpurea, riojaneirensis, serrata, spongiosa - Checklist]

Cryptogamie, Bryologie, 32 (2), 145-196

[/ E] # 2700

Shaw AJ, Szövényi P & Shaw B 2011

Bryophyte diversity and evolution: Windows into the early evolution of land plants.

[- - Evolution, early land plants]

American Journal of Botany, 98 (3), 352-369

[/ E] # 2726

Silva JB 2011

Brioflora de afloramentos rochosos em Puxinana, Paraíba, Brasil.

Trabalho de Conclusão de Curso (Graduação em Biologia) - Universidade Estadual da Paraíba, Centro de Ciências Biológicas e da Saúde, 2011.

[am5: Brazil - Fr dusenii, ericoides, gibbosa, kunzei -]

, , 73 pp.

[/ E] # 3568

Sim-Sim M, Bergamini A, Luís L, Fontinha S, Martins S, Lobo C & Stech M 2011

Epiphytic bryophyte diversity on Madeira Island: Effects of tree species on bryophyte species richness and composition.

[21 afr1: Madeira [Portugal] - Fr azorica, teneriffae, polysticta, microphylla, tamarisci - Epiphytes]

The Bryologist, 114 (1), 142-154

[/ E] # 2582

Singh SK & Barbhuiya HA 2011

Frullania evelynae (Frullaniaceae, Marchantiophyta) – a very rare species from Mizoram, India.

[as3: India (Mizoram) - Fr evelynae - Distribution of 66 spec from India]

Taiwania, 56 (3), 247-253

[/ E] # 3042

Söderström L, Hagborg A, Pócs T, Sass-Gyarmati A, Brown E, von Konrat M & Renner M 2011

Checklist of hornworts and liverworts of Fiji.

[oc: Fiji - - Checklist]

Telopea, 13 (3), 405-454

[/ E] # 3251

Söderström L, Hagborg A, Váňa J & von Konrat M 2011

Land of wood and water: A checklist of liverworts and hornworts of Jamaica.

[81 am3: Jamaica - - Checklist]

The Bryologist, 114 (1), 67-91

[/ E] # 2581

Sofronova EV – EB Софронова 2011

New liverwort records from Republic of Sakha (Yakutia). 6. – Новые находки печеночников в Республике Саха (Якутия). 6.

[Russia - Fr muscicola -]

Arctoa, 20, 262-263

[/ E] # 3791

Sofronova EV – EB Софронова 2011

New liverwort records from Republic of Sakha (Yakutia). 5. – Новые находки пече-ночников в Республике Саха (Якутия). 5.

[Russia - Fr davurica -]

, 19, 278

[/ E] # 3787

Song L, Liu W-Y, Ma W-Z & Tan Z-H 2011

Bole epiphytic bryophytes on Lithocarpus xylocarpus (Kurz) Markgr. in the Ailao Mountains, SW China.

[as2: China - Fr handelii - Epiphytes]

Ecological Research, 26 (2), 351-363

[/ E] # 2584

Srivastava SN & Rai M 2011

Frullania largiana var. *didyhatii* var. nov. from Kumaun region in Western Himalayas.

[as3: India (Uttarakhand) - *Fr largiana* var. *didyhatii* -]

Geophytology, 41 (1-2), 109-112

[/ E] # 3371

Stetzka K M & Becker M 2011

Ergebnisse einer seilklettertechnisch unterstützten Epiphytenkartierung im Nationalpark „Sächsische Schweiz“. [Results of an epiphytic mapping using rope climbing techniques in the national park “Sächsische Schweiz“.]

[eur: Germany - *Fr dilatata* -]

Archive for Bryology, 117, 1-18

[/ E] # 3173

Strazdiņa L, Madžule L & Brūmelis G 2011

A contribution to the bryoflora of Moricsala Island Nature Reserve, Latvia.

[eur: Latvia - *Fr dilatata* -]

Folia Cryptogamica Estonica, 48, 107-117

[/ E] # 3013

Strazdiņa L, Madžule L & Brūmelis G 2011

A contribution to the bryoflora of Moricsala Island Nature Reserve, Latvia.

[eur: Latvia - *Fr dilatata* -]

Folia Cryptog. Estonica, 48, 107-117

[/ E] # 3350

Suzuki C, Tamura E, Kawai K, Tateishi Y & Nishimura N / 鈴木千尋田村英子川合啓二立石幸敏 & 西村直樹 2011

小豆島(香川県)の蘚苔類 / The bryophytes of the Shodo-shima Island (Kagawa Prefecture).

[as2: Japan - *Fr amplicrania*, *davurica*, *diversitexta*, *musciola*, *tamarisci* ssp *obscura* -]

Naturalistae / 学術資料, 15, 79-87

[/ E] # 3147

Swanson J, Budke JM & Goffinet B 2011

A visit to the Miniature Forest. Insights into the biology and evolution of Bryophytes in Northeastern Connecticut.

[am1: USA (Connecticut) - -]

Department of Ecology & Evolutionary Biology, University of Connecticut, Storrs, 12 pp.

[/ E] # 2675

Teuber D 2011

Flechten und Moose in Nationalpark Kellerwald-Edersee. [Lecture]

[eur: Germany (Hessian State) - *Fr dilatata*, *tamarisci* -]

www.bvnh.de/aktuell/BVNH-MV2011_DT_Flechten.pdf [downloaded 6.8.2014], , 7 pp.

[/ E] # 3991

Teuber D 2011

Flechten und Moose im Nationalpark Kellerwald-Edersee.

[eur: Germany - *Dr dilatata*, *tamarisci* -]

www.bvnh.de/aktuell/BVNH-MV2011_DT_Flechten.pdf [accessed 30.11.2011], ,

[/ E] # 3135

Thouvenot L, Gradstein SR, Hagborg A, Söderström L & Bardat J 2011

Checklist of the Liverworts and Hornworts of New Caledonia.

[oc: New Caledonia - - Checklist]

Cryptogamie, Bryologie, 32 (4), 287-390

[/ E] # 3452

Turner PAM, Kirkpatrick JB & Pharo EJ 2011

Dependence of bryophyte species on young, mature and old growth wet eucalypt forest.

[aust1: Tasmania [Australia] - Fr rostrata -]

Biological Conservation, 144 (12), 2951-2957

[/ E] # 3365

Turner PAM, Kirkpatrick JB & Pharo EJ 2011

Dependence of bryophyte species on young, mature and old growth wet eucalypt forest.

[aust1: Tasmania [Australia] - Fr rostrata -]

Biological Conservation, 144, 2951-2957

[/ E] # 3646

Une K & Nishimura N / 畦 浩二 & 西村直樹 2011

法隆寺(奈良県斑鳩町)の蘚苔類 / Bryophytes found in the Horyuji-Temple (Ikaruga-machi, Nara-ken).

[as2: Japan - Fr ericoides, muscicola, parvistipula -]

Naturalistae / 学術資料, 15, 57-64

[/ E] # 2722

Uribe-M J 2011

Estudios de ejemplares tipo de Frullania subgénero Meteoripsis. VI. Filiación subgenérica de algunas especies asiáticas asignadas previamente al subgénero Meteoripsis.

[- Fr seriatifolia, ternatensis, trichodes, vaginata, grandiclava, orientalis - Taxonomy, species excluded from Meteoripsis]

Caldasia, 33 (1), 67-77

[/ E] # 2767

Vanderporten A, Laenen B, Rumsey FJ, González-Mancebo JM, Gabriel R & Carine MA 2011

Dispersal, diversity and evolution of the Macaronesian cryptogamic floras. [p. 338-364]

-In: Bramwell, D. & Caujapé-Castells, J.[Ed.]: The biology of Island floras.

[Macaronesian region - Fr polysticta, sergiae -]

Cambridge University Press, New York, 522 pp.

[/ E] # 2757

Varão LF, Cunha IPR & Peralta DF 2011

Levantamento de briófitas do distrito Bananal, município de Governador Edison Lobão, Maranhão, Brasil. / Survey of bryophytes species from Bananal district, municipality of Governor Edison Lobão, Maranhão, Brasil

[am5: Brazil - Fr gibbosa -]

Revista de Biologia e Ciências da Terra, 1 (2), 88-92

[/ E] # 3291

Verma PK & Srivastava SC 2011

Endemism in Liverworts of Western Ghats and their present status.

[as3: India (Western Ghats) - Fr acutiloba, alstonii var pfliedereri, pyriflora, serrata, wallichiana -]

Archive for Bryology, 99, 1-23

[/ E] # 2974

Villalba Corredor LS & Forero AM 2011

Biodeterioro de la fuente de lavapatatas, parque arqueológico de San Agustín-Huila. Colombia

[am4: Colombia - Fr sphaerocephala - Bioderiation, biofilms]

Ge-conservación, 2, 65-80

[/ E] # 3188

Visnadi SR 2011

Briófitas dos picos do Cuscuzeiro e do Cardoso, estado de São Paulo, Brasil.

[am5: Brazil - Fr apiculata, caulisequa, grossifolia, setigera, vitalii -]

Boletim do Museu Paraense Emílio Goeldi Ciências Naturais [Belém], 6 (3), 307-317

[/ E] # 3256

von Konrat M, Hentschel J, Heinrichs J & Braggins JE 2011

Deep Southern Hemisphere connections: A revision of *Frullania* sect. *Amphijubula*.

[aust2: New Zealand - Fr truncatistyla, lobulata, microcaulis, rostrata - Taxonomy, Microfrullania, Amphijubula]

, 114 (1), 52-66

[/ E] # 2580

Wang J, Lai M-J & Zhu R-L 2011

Liverworts and hornworts of Taiwan: an updated checklist and floristic accounts.

[as2: Taiwan - Fr acutiloba, amamiensis, amplicrania, aosgimensis, arecae, berthoumieuii, bonincola, davurica, davuriva var chichibuensis, densiloba, dilatata, diversitexta, ericoides, formosae, gaudichaudii, giraldiana, gracilis, hamatiloba, hiroshii, hypoleuca, inflexa, inouei, jackii, kagoshimensis, macrophylla, meyeniana, moniliata, monocera var depauperata, monocera var monocera, monocera var schiffneri, motoyana, muscicola, nepalensis, orientalis, osumiensis, pariharii, parvistipula, ramuligera, riojaneirensis, sackawana, schensiana, serrata, sphaerolobulata, taiheizana, tamarisci, tamsuina, ternatensis var non-appendiculata, ternatensis var ternatensis, trichodes, valida, yuennanensis, yuzawana - Checklist with 52 *Frullania* taxa]

Annales Botanici Fennici, 48, 369-395

[/ E] # 3125

Werner J 2011

Les bryophytes du Luxembourg - Liste annotée et atlas

The bryophytes of Luxembourg - Annotated list and atlas.

[eur: Luxembourg - Fr dilatata, fragilifolia, tamarisci -]

Ferrantia, 65, 1-144

[/ E] # 2957

Wickett NJ, Forrest LL, Budke JM, Shaw B & Goffinet B 2011

Frequent pseudogenization and loss of the plastid-encoded sulfate-transport gene *CYS A* throughout the evolution of liverworts.

[- - Cys A, Gene loss, Plastid, Pseudogene]

American Journal of Botany, 98 (8), 1263-1275

[/ E] # 2867

Yahr R, Coppins BJ & Ellis CJ 2011

Preserved epiphytes as an archaeological resource in pre-industrial vernacular buildings.

[- Fr dilatata, tamarisci - Archaeology]

Journal of Archaeological Science, 38, 1191-1198

[/ E] # 2507

Yáñez A, Dal-Forno M, Bungartz F, Lücking R & Lawrey JD 2011

A first assessment of Galapagos basidiolichens.

[am4: Galapagos [Ecuador] - Fr aculaeata, Fr spec. - Lichen growing over Frullania]

Fungal Diversity - published online 2.9.2011, , 20 pp.

[/ E] # 3121

Yano O & Bordin J 2011

Anthóceros e hepáticas do herbarium Anchieta (PACA), Sao Leopoldo, Rio Grande do Sul. Brasil.

[am5: Brasil - Fr arecae, beyrichiana, brasiliensis, caulisequa, dilatata, ericoides, glomerata, griffithsiana, riojaneirensis, - hb PACA (Aloysio Sehnem)]

, , 163-197

[/ E] # 3122

Yano O, Peralta DF & Bordin J 2011

Antóceros e Hepáticas dos Estados de Alagoas, Bahia, Pernambuco e Sergipe, Brasil, depositados no Herbário SP.

[am5: Brazil - Fr arecae, atrata, beyrichiana, brasiliensis, breuteliana, caulisequa, dilatata, dusenii, ecklonii, ericoides, gibbosa, glomerata, gymnotis, neesii, nodulosa, riojaneirensis, vitalii - hb SP]

Hoehnia, 38 (3), 429-481

[/ E] # 3718

Zhan Z-J, Ying Y-M, Ma L-F & Shan W-G 2011

Natural disesquiterpenoids.

[- Fr "muscolus", tamarisci ssp obscura - Phytochemistry, Natural disesquiterpenoids]

Natural Product Reports, 28 (3), 594-629

[/ E] # 2725

Zhang X-Q, Zhu R-L, Huang, Z-S, Chen Y-T & Chen W-W / 张晓青; 朱瑞良; 黄志森; 陈允泰; 陈文伟; 2011

福建苔类和角苔类植物最新名录与区系分析(英文) / Liverworts and Hornworts of Fujian, China: an updated checklist and bryofloristic accounts.

[as2: China (Fujian) - 32 Frullania species, p. 109-110 - Checklist]

Plant Diversity and Resources / 植物分类与资源学报, 33 (1), 101-122

[/ E] # 2530

Zhao D-P, Bai X-L & Wang L-H 2011

Observations of spore morphology of some hepatic species (Marchantiophyta) in China.

[as2: China - Fr gaoligongensis, appendistipula - Spore morphology]

Arctoa, 20, 205-210

[/ E] # 3237

2012

Abreu AD, Teixeira SM, Costa D, Freitas D, Marques M, Loja F, Mateus G, Neves MJ, Abreu F & Freitas T 2012

Santana Madeira Biosfera. Candidatura a reserva da biosfera da UNESCO.

[21 afr1: Madeira [Portugal] - Fr azorica, dilatata, ericoides, fragilifolia, microphylla, polysticta, tamarisci, teneriffae -]

, ,

[/ E] # 3744

Adhitya F 2012

Keanekaragaman lumut epifit pada gymnospermae di Kebun Raya Bogor. / Diversity of Epiphytic Bryophytes on Gymnospermae in Bogor Botanical Garden.

Departemen Biologi, Fakultas Matematika dan Ilmu Pengetahuan alam Institut Pertanian Bogor

[as4: Indonesia (Java: Bogor) - Fr apiculata -]

[/ E] # 3502

Adhitya F 2012

Keanekaragaman Lumut Epifit Pada Gymnospermae Di Kebun Raya Bogor / Diversity of epiphytic bryophytes on Gymnospermae in Bogor Botanical Garden

IPB (Bogor Agricultural University)

[as4: Indonesia (Java) - Fr apiculata -]

[/ E] # 4373

Ah-Peng C, Bardat J, Pòcs T, Söderström L, Staménoff P & Strasberg D 2012

Red List of liverworts and hornworts for Réunion (Mascarene archipelago).

[29 afr3: Reunion - Fr anderssonii -]

Phytotaxa, 68, 1-23

[/ E] # 3396

Akmal H 2012

Diversitas Lumut Epifit Di Tiga Perkebunan Teh Jawa Barat / Diversity of Epiphytic Bryophytes at three Tea Plantations in West Java

[as4: Indonesia (Java) - Fr arecae, gracilis, grandistipula, microauriculata, riojaneirensis -]

IPB (Bogor Agricultural University), ,

[/ E] # 3438

Alam A 2012

Some Indian bryophytes known for their biological active compounds.

[as3: India - Fr tamarisci, ericoides, muscicola, tamarisci subsp. obscura - Lipophilic, terpenoids, acetogenins, cytotoxic]

International Journal of Applied Biology and Pharmaceutical technology, 3 (2), 239-246

[/ E] # 3299

Alam A 2012

Liverworts Flora of Parson's valley, Nilgiri hills (Western Ghats), South India.

[as3: India (South India: Tamil Nadu) (Western Ghats, Nilgiri Hills) - Fr neurota, arecae, acutiloba, ericoides, campanulata, inflexa, tamarisci ssp obscura -]

Archive for Bryology, 119, 1-20

[/ E] # 3205

Alam A, Sharma V, Sharma SC & Tripathi A 2012

Bryoflora of Munsyari and Dharchula Tehsil of Pithoragarh, Uttarakhand, Western Himalayas, India

[as3: India (Western Himalayas) - Fr ericoides, arecae -]

Archive for Bryology, 140, 1-11

[/ E] # 3344

Alataş M, Ezer T ,Kara R & Uyar G 2012

Abant dağları'ndaki *Fagus orientalis* LİPSKY. (Doğu Kayını) ağaçlarının epifitik bryofitleri. / The epiphytic bryophytes of *Fagus orientalis* LİPSKY. (Doğu Kayını) on Abant Mountains.

[as5: Turkey - Fr dilatata, fragilifolia, tamarisci -]

Bartın Orman Fakültesi Dergisi, 14, 98-105

[/ E] # 3343

Aptroot A 2012

Changes in the Epiphytic Flora on Four Tilia Trees in Belgium Over 59 Years

[eur: Belgium - Fr dilatata -]

Herzogia, 25 (1), 39-45

[/ E] # 4482

Asakawa Y 2012

Liverworts-Potential Source of Medicinal Compounds.

[- -]

Medicinal & Aromatic Plants, 1 (3) 1000e114, 1-2

[/ E] # 3328

Asakawa Y 2012

Liverworts-Potential Source of Medicinal Compounds.

[- -]

Medicinal Aromatic Plants [open-access article], 1 (3), 2 pp.

[/ E] # 3233

Averis B 2012

Bryophyte survey of Inverlochlarig Burn, Balquhidder, Stirlingshire, October 2011.

Inverlochlarig Farm HEP Developmant Balquhidder, Appendix 7 - Bryophyte Survey.

[- FR fragilifolia, tamarisci -]

, , 22 pp.

[/ E] # 3394

Bakalin VA / ВАДИМ А БАКАЛИН 2012

A small collection of hepatics from Oregon and California (Western North America) / НЕБОЛЬШАЯ КОЛЛЕКЦИЯ ПЕЧЕНОЧНИКОВ ИЗ ОРЕГОНА И КАЛИФОРНИИ (ЗАПАД СЕВЕРНОЙ АМЕРИКИ)

[am1: USA (Oregon, California) - Fr bolanderi, californica, franciscana, nisquallensis -]

Arctoa, 21, 201-205

[/ E] # 3527

Barbhuiya HA & Singh SK 2012

Liverwort and hornwort of Borail Wild Life Sanctuary, Assam, India.

[as3: India (Assam) - Fr muscicola, berthoumieuii -]

Archive for Bryology, 134, 1-12

[/ E] # 3339

Benitez A, Gradstein SR, Prieto M, Aragón G, León-Yáñez S, Moscoso A & Burghardt M 2012

Adiciones a la Flora de Briofitas del Ecuador 2

[am4: Ecuador - Fr setigera -]

Tropical Bryology, 34, 99-106

[/ E] # 3809

Blisard K 2012

Liverworts of New Mexico – A Preliminary List

from Proceedings of the “Natural History of the Gila” Symposium, 2012

[am1: USA (New Mexico) - Fr brittoniae, eboracensis, inflata, pluricarinata, riparia -]

aces.nmsu.edu/.../liverworts-of-new-mexico.pdf [Accessed 18.03.2013], ,

[/ E] # 3459

Borovichev EA & Kokoshnikova YuS – EA Боровичев ЮС Кокошникова 2012

Новые находки печеночников во Владимирской области. 3. – New liverwort records from Vladimir Province. 3.

[Russia - Fr oakesiana -]

Arctoa, 21, 283

[/ E] # 3792

Borovichev EA 2012

The liverworts diversity in the Lapland state nature reserve (Murmansk province). [p. 18-19]

-In: International Bryological conference dedicated to 100 year anniversary of R. N. Schljakov. [Abstracts]

[- Fr tamarisci -]

Russian Academy of Sciences, Kola Science Centre N.A.Avrarin Polar-Alpine Botanical Garden-Institute, Russian Botanical Society, Apatity, 92 pp.

[/ E] # 3411

Clark TA 2012

Bryophyte Floristics and Ecology in Grand Canyon National Park.

Natural Resource Technical Report NPS/SCPN/NRTR—2012/602

[am1: USA (Grand Canyon) - Fr inflata -]

U.S. Department of the Interior, National Park Service, Natural Resource Stewardship and Science, Fort Collins, 164 pp.

[/ E] # 3405

Cogoni A, Campisi P, Aleffi M, Carratello A, Colacino C, Dia MG, Miserere L, Privitera M, Puglisi M, Sguazzin F & Tacchi R 2012

A project for an Italian red list of bryophytes. [Poster for ECCB8]

[eur: Italy - Fr parvistipula (E) - Red list]

, , 1 pp.

[/ E] # 3403

Coote L, French LJ, Moore KM, Mitchel FJG & Kelly DL 2012

Can plantation forests support plant species and communities of semi-natural woodland?

[eur: Great Britain - Fr tamarisci - Sustainable forest management]

Forest Ecology and Management, 283, 86–95

[/ E] # 3629

Delgadillo-Moya C & Juárez-Martínez C 2012

Biodiversidad de anthocerotophyta y marchantiophyta en México.

[79 am2: Mexico - Fr pluricarinata -]

Revista Mexicana de Biodiversidad

Revista Mexicana de Biodiversidad, ,

[/ E] # 3828

Dey M & Singh DK 2012

Epiphyllous liverworts of Eastern Himalaya.

[India - Fr tamarisci ssp tamarisci, muscicola var inuena, pran-nathii -]

Botanical Survey of India, Kolkata, 415 pp.

[P / E] # 3771

Erzberger P, Höhn M & Pócs T 2012

Contribution to the bryoflora of Călimani mountains in the eastern Carpathians, Romania, I.

[eur: Romania - Fr fragilifolia -]

Acta Biologica Plantarum Agriensis, 2, 73-95

[/ E] # 3331

Ezer T & Kara R 2012

Succession of epiphytic bryophytes in a Lebanon cedar (*Cedrus libani*) forest from the Meydan High plateau (Aladağ).

[as5: Turkey - Fr dilatata -]

Turkish Journal of Botany [accepted for publication but not yet undergone editing or formatting, DOI: 10.3906/bot-1201-35]Niğde University, Faculty of Science, Biology Department, , 23 pp

[/ E] # 3372

Faria ALA 2012

Briófitas da Ilha da Trindade: um estudo taxonomico e biogeográfico.

Thesis (Dissertação) - Programa de Pós-Graduação em Botânica

[am5: Trindade [Brazil] - Fr beyrichiana, gibbosa, caulisequa, kunzei - with key]

Universidade de Brasília, Instituto de Biologia, Departamento de Botânica, Brasília, 63 pp.

[/ E] # 3741

Faria ALA, Carvalho-Silva M, Costa DP de & Câmara PEAS 2012

The bryophytes of Trindade Island, South Atlantic, Brazil.

[am5: Trindade [Brazil] - Fr beyrichiana, gibbosa, caulisequa, kunzei - with key]

Acta Botanica Brasilica, 26 (4), 785-795

[/ E] # 3739

Faubert J 2012

Flore des bryophytes du Québec-Labrador. Vol 1: Anthocérotes et hépatiques.

[am1: Canada - -]

Société québécoise de bryologie, Saint-Valérien, Québec, xvii + 356 p.

[P /] # 3234

Faubert J, Gagnon J & Gauthier R 2012

Les bryophytes de la région du lac Assinica, Québec nordique.

[am1: Canada (Quebec) - Fr oakesiana -]

Carnets de bryologie, 2, 20-47

[/ E] # 3455

Filipowicz N MH & Renner S 2012

Description and molecular diagnosis of a new species of *Brunfelsia* (Solanaceae) from the Bolivian and Argentinean Andes.

[83 85 am4: Bolivia, am6: Argentina - Fr atrata -]

PhytoKeys, 10, 83-94

[/ E] # 3408

Frahm J-P 2012

Mosses and Liverworts of the Dominican Republic - a picture book.

[81 am3: Dominican Republic - Fr atrata -]

Archive for Bryology Special Volume 9

[<http://www.jan-peter-frahm.de/Archive/Mosses%20and%20Liverworts%20Dom.%20Rep..pdf>], , 1-86

[/ E] # 3519

Frahm J-P 2012

Die Moosflora ausgewählter Naturräume in Deutschland 4. Teutoburger Wald und Eggegebirge.

[eur: Germany - Fr dilatata, tamarisci, fragilifolia -]

Archive for Bryology, 130, 1-16

[/ E] # 3304

Frahm J-P 2012

The phytogeography of European bryophytes.

[eur - Fr teneriffae, inflata, riparia, parvistipula, oakesiana, bolanderi - Bryophytes, Europe, phytogeography, endemism, disjunctions, relicts]

Botanica Serbica, 36 (1), 23-36

[/ E] # 3270

Frahm J-P 2012

Das atlantische Element in der Lebermoosflora Europas.

[- -]

Archive for Bryology, 141, 1-11

[/ E] # 3353

Frahm J-P 2012

A Guide to Bryological Hotspots in Europe. 4. The surroundings of Meran (Prov. Bozen, Italy)

[eur: Italy (Meran) - Fr inflata, riparia (cesatiana), parvistipula -]

Archive for Bryology, 151, 1-10

[/ E] # 3837

Gradstein R 2012

On the identity of *Jungermannia obscura* Swartz.

[- Fr arecae, gibbosa, obscura, riojaneirensis -]

Cryptogamie, Bryologie, 33 (3), 257-262

[/ E] # 3341

Gradstein SR & Ziemmeck F 2012

CDF Checklist of Galapagos Horn- & Liverworts - FCD Lista de especies de Antocerotes y Hepáticas de Galápagos. Last updated 14 Nov 2012

-In: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzategui, G., Ruiz, D., Guézou, A. & Ziemmeck, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin..

[am4: Galapagos Isl - Fr aculeata, arecae, brasiliensis, caulisequa, convoluta, darwinii, ecklonii, ericoides, gibbosa, gradsteinii, involuta, kunzei, laxiflora, peruviana, phalangiflora, riojaneirensis - Checklist]

<http://www.darwinfoundation.org/datazone/checklists/bryophytes/anthocerotophyta-hepatophyta/> Last updated 14 Nov 2012 Charles Darwin Foundation / Fundación Charles Darwin, Puerto Ayora, Galapagos, 16 pp

[/ E] # 3529

Hassel K & Holien H 2012

Epifyttfloraen av moser og lav på Kalvøya, Vikna i Nord-Trøndelag.

Norges teknisk-naturvitenskapelige universitet Vitenskapsmuseet - Botanisk notat 2012-3

[eur: Norway - Fr dilatata, tamarisci -]

NTNU Vitenskapsmuseet, Trondheim, 22 pp.

[/ E] # 3406

Hassel K, de Jong K & Stenøien H 2012

How does physiological status impact cryopreservation success of bryophytes from two contrasting habitats? [Oral presentation with powerpoint]

[- -]

8th Conference of the European Committee for Conservation of Bryophytes [ECCB8], , 14 pp.

[/ E] # 3314

Heinrichs J, von Konrat M, Grabenhorst H & Schmidt AR 2012

The sporophyte of the Paleogene liverwort *Frullania varians* Caspary.

[- Fr varians - Fossil, amber, Late Oligocene, Bitterfeld]

Fossil Record, 15 (2), 115-120

[/ E] # 3236

Heinrichs J, Reiner-Drehwald ME, Feldberg K, von Konrat M, Hentschel J, Vana J, Nascimbene P, Grimaldi D & Schmidt AR 2012

The leafy liverwort *Frullania* (Jungermanniopsida) in the Cretaceous amber forest of Myanmar.

[as3: Myanmar - Fr cretacea, baerlocheri - Fossil, amber, Albian, Early Cretaceous]

Review of Palaeobotany and Palynology, 169, 21-28

[/ E] # 3151

Holyoak DT 2012

The bryophytes of Cornwall and the isles of Scilly.

[- -]

http://www.cisfbr.org.uk/Bryo/Cornish_Bryophytes.pdf [accessed 14.06.2012], , 420 pp

[/ E] # 3318

Huarte VD 2012

Cambios en la biodiversidad briofítica de los hayedos navarros a lo largo del tiempo y su relación con algunos parámetros ambientales.

Thesis (Dr.) - Facultad de Ciencias, Universidad de Navarra

[eur: Spain - Fr dilatata, fragilifolia, tamarisci - Maps]

, , 316 pp.

[/ E] # 3634

Jeschke M 2012

Cryptogams in calcareous grassland restoration: perspectives for artificial vs. natural colonization.

[eur: Germany - Fr tamarisci - Bryophyte; diversity; dry grassland; hay composition; hay transfer; succession; topsoil removal]

Tuexenia, 32, 269-279

[/ E] # 4027

Jones M 2012

Bryophytes of the Tasmanian buttongrass moorlands.

Thesis (Dr. phil.) - School of Geography and Environmental Studies, University of Tasmania, Hobart

[aust1: Tasmania [Australia] - Fr falciloba -]

, , 180 pp.

[/ E] # 3542

Konstantinova NA & Savchenko AN 2012

Hepatics in regional Red Data books of European part of Russia [Powerpoint presentation]

[Russia - Fr bolanderi, parvistipula, inflata, oakesiana, riparia -]

Polar-Alpine Botanical Garden-Institute of the Kola SCI Center RAS, , 45 pp.

[/ E] # 4047

Konstantinova NA, Ignatov MS & Perkovsky EE / КОНСТАНТИНОВА НА ИГНАТОВ МС & ПЕРКОВСКИЙ ЕЕ 2012

Hepatics from Rovno amber (Ukraine) / ПЕЧЕНОЧНИКИ ИЗ РОВЕНСКОГО ЯНТАРЯ (УКРАИНА)

[eur: Ukraine - Fr varians, ucrainica - Fossil, amber, Late Eocene]

Arctoa, 21, 265-271

[/ E] # 3447

Konstantinova NA & Savchenko AN 2012

Hepatics in regional Red Data Books of European part of Russia. [Oral presentation with powerpoint]

[eur: Russia - Fr bolanderi, inflata, oakesiana, parvistipula, riparia -]

8th Conference of the European Committee for Conservation of Bryophytes [ECCB8], , 45 pp.

[/ E] # 3309

Kubešová S 2012

Bez nadpisu / MODULARIZACE VÝUKY EVOLUČNÍ A EKOLOGICKÉ BIOLOGIE CZ.1.07/2.2.00/15.0204

[- Fr dilatata -]

, Brno, 15 pp.

[/ E] # 3400

Kučera J, Váňa J & Hradílek Z 2012

Bryophyte flora of the Czech Republic: updated checklist and Red List and a brief analysis.

[eur: Czech Republic - Fr dilatata, fragilifolia, inflata, tamarisci -]

Preslia, 84, 813–850

[/ E] # 3387

Lavoie A 2012

Les noms français des bryophytes du Québec-Labrador, Canada : anthocérotes et hépatiques.

[am1: Canada (Quebec, Labrador) - -]

Carnets de bryologie, 2, 1-11

[/ E] # 3456

Lawley M 2012

Annotated check-list of species. [3.Bryophytes of Wyre]

[eur: Great Britain (Lancashire, Wyre) - Fr dilatata, tamarisci -]

, ,

[/ E] # 3368

Lawley M 2012

Bryological stroll through the Welsh Marches.

[eur: Great Britain - Fr fragilifolia -]

FieldBryology, 106, 18-31

[/ E] # 3525

Li S, Sheng L, Yu J, Guo S-L & Cao T 2012

江苏省苔藓植物新记录属种 / Newly recorded bryophyte genus and species from Jiangsu Province, China.

[as2: China (Jiangsu) - Fr polyptera, nepalensis -]

Journal of Shanghai Normal University(Natural Sciences) / 上海师范大学学报(自然科学版), 41 (3), 307-311

[/ E] # 3390

Lockhart N, Hodgetts N & Holyoak D 2012

Rare and threatened bryophytes of Ireland.

National Museums Northern Ireland Publication No. 028

[- -]

National Museums Northern Ireland, Cultra, Holywood, 638 pp,

[P /] # 3307

Loren 2012

Allenberg Bog Audubon nature preserve.

[am1: USA (New York) - Fr asagrayana, brittoniae, eboracensis, oakesiana, tamarisci -]

, ,

[/ E] # 3384

Madžule L, Brūmelis G, Tērauds A & Zariņš J 2012

Time needed to achieve sufficient richness of structural elements and bryophytes in deciduous forest stands.

[eur: Latvia - Fr dilatata, tamarisci - Logging, passive restoration, species richness, structural elements]

Environmental and Experimental Biology, 10, 57–66

[/ E] # 3327

Mamontov YuS & Afonina OM – ЮС Мамонтов ОМ Афонина 2012

New liverwort records from Zabaikal'sky Territory. 6. – Новые находки печеночников в Забайкальском крае. 6.

[Russia - Fr davurica, cf dilatata, koponenii, riparia -]

Arctoa, 21, 290-294

[/ E] # 3793

Manju CN & Rajesh KP 2012

Present status of bryophyte diversity in Kerala.

[as3: India (Kerala) - Fr gaudichaudii, ericoides -]

Samagra, 8, 20-27

[/ E] # 3442

Manzke W 2012

Zur Moosflora der „Bulau“ (Main-Kinzig-Gebiet, Hessen, Bayern)

[eur: Germany - Fr dilatata, tamarisci, microphylla -]

Archive for Bryology, 133, 1-23

[/ E] # 3326

Marka J, Papp B, Erzberger P, Colacino C & Sabovljevic M 2012

Towards a red list of the Albanian bryophytes.

[eur: Albania - Fr fragilifolia, inflata - Red list]

Studia bot. hung., 43, 13-15

[/ E] # 3613

Marline L Andriamiarisoa RL Bardat J Chuah-Petiot M Hedderson TAJ Reeb C Strasberg D Wilding N & Ah-Peng C 2012

Checklist of the Bryophytes of Madagascar.

[29 afr3: Madagascar - anderssonii, angulata var. angulata, angulata var. laciniata, apicalis, apiculata, arecae, borbonica, bullata, caffraria, capensis, depressa, diptera, ecklonii, ericoides, gabonensis, grossiclava, humbertii, imerinensis, lindenbergi, longistipula,loricata, loricata var. laxa, nodulosa, obscurifolia, purpurea, repandistipula, rigida, schimperi var. laciniata, schimperi var. schimperi, serrata var. pertenuis, serrata var. serrata, socotrana, spongiosa, trinervis, usambarana, usambarana var. reducta,vanden-berghenii, variegata - Checklist]

Cryptogamie, Bryologie, 33 (3), 199-255

[/ E] # 3451

Moura Baptista LR de, Lorscheitter ML & Scherer C 2012

Floristic composition of a Subtropical bog, Eastern Plateau from southern Brazil.

[am5: Brazil - Fr arecae, beyrichiana, brasiliensis, caulisequa, kunzei, lindenbergi, setigera -]

Check List, 8 (2), 224-236

[/ E] # 3567

Nikolajeva V, Liepina L, Petrina Z, Krumina G, Grube M & Muiznieks I 2012

Antibacterial Activity of Extracts from Some Bryophytes

[- Fr dilatata - Antimicrobial activity]

Advances in Microbiology, 2, 345-353

[/ E] # 3377

NN 2012

The 4th Version of the Japanese Red Lists on 9 Taxonomic Groups

(別添資料7-9)植物II(維管束植物以外)のレッドリスト

植物II(蘚苔類)(2012)<分類群順> / II Pflanzen (Moose) [Rote Liste 4. Ministerium für Umwelt (2012) <Order taxa>

[38 JAP as2: Japan - Fr trichodes (CR+EN), gaudichaudii (VU), iriomotensis (VU), repandistipula (VU), sackawana (VU), okinawensis (DD) -]

http://www.env.go.jp/press/file_view.php?serial=20558&hou_id=15619Ministry of the Environment Government of Japan, Tokyo, 14 pp.

[/ E] # 3364

NN 2012

한라산국립공원 자연자원조사 - 부록 13. 한라산 국립공원의 선대식물 목록 / Halla Mountain and National Park Natural Resources Survey - Appendix 13. Halla National Park Plant List

[as2: South Korea - Fr diversitexta, ericoides, inflata, kagoshimensis, muscicola, muscicola var inuena, osumiensis, schensiana, tamarisci, usamiensis, spec. -]

제주특별자치도 한라산연구소, ,

[/ E] # 3766

NN [Ibaraki Nature Museum] 2012

茨城県自然博物館総合調査報告書, 茨城県西部地域および筑波山・鹿島灘の非維管束植物

(2006-2008) / Cryptogamic Botany Flora from the West District, Mt. Tsukuba and Kashima-nada Sea, Ibaraki Prefecture (2006-2008)

Report of Comprehensive Surveys of Plants, Animals and Geology in Ibaraki Prefecture by the Ibaraki Nature Museum.

[38 JAP as2: Japan - Fr davurica, diversitexta, ericoides, fauriana, hamatiloba, inflata, kagoshimensis, muscicola, parvistipula, pedicellata, tamarisci ssp obscura -]

, Bando, Ibaraki, Japan, 57 pp.

[/ E] # 3724

Ören M, Uyar G & Keçeli T 2012

The bryophyte flora of the western part of the Küre Mountains (Bartın, Kastamonu), Turkey.

[as5: Turkey - Fr dilatata, fragilifolia, tamarisci -]

Turk J Bot, 37, 538-557

[/ E] # 3349

Papp B, Erzberger P, Ódor P & Szurdoki E 2012

Hungarian Bryophyte Red List and some conclusions. [Oral presentation with powerpoint]

[eur: Hungaria - Fr fragilifolia -]

8th Conference of the European Committee for Conservation of Bryophytes [ECCB8], ,

[/ E] # 3313

Parratt MJ & White M 2012

How do exotic tree species compare with native *Quercus petraea* L. and *Pinus sylvestris* L. as phorophytes for epiphytic bryophytes?

[eur: Great Britain - Fr dilatata, tamarisci -]

Forestry, 75, 195-207

[/ E] # 3142

Peralta DF & Yano O 2012

Briófitas da Serra do Itapeti. [p. 75-86]

-In: Castro Morini, M.S. de & Miranda, V.F.O. de [Edit.], Serra do Itapeti: Aspectos Históricos, Sociais e Naturalísticos

[am5: Brazil - Fr arecae, beyrichiana, brasiliensis, caulisequa, ericoides, glomerata, neesii, riojaneirensis -]
, Bauru, SP: Canal, 400 pp.

[/ E] # 3680

Plášek V 2012

The inventory of bryophytes in Radhošť National Natural Reserve (Moravskoslezské Beskydy Mts, Czech Republic).

[eur: Czech Republic - Fr dilatata -]

Čas. Slez. Muz. Opava (A), 61, 95-96

[/ E] # 3860

Popp B 2012

Rare and Uncommon Bryophytes of Vermont

[- -]

Vermont Natural Heritage Inventory Vermont Fish & Wildlife Department, , 1-10

[/ E] # 3857

Potemkin AD & Sofronova EV 2012

Liverworts and hornworts of Russia. Volume 1. [In Russian, with annotated list of liverworts and hornworts of Russia in English & Russian] - Checklist 4, updated 2012.

[as1: Russia - Fr bolanderi, crispiplicata, davurica ssp davurica, davurica ssp jackii, dilatata. diversitexta, fragilifolia, inflata, kopenenii, muscicola var muscicola, muscicola var inueana, oakesiana ssp oakesiana, oakesiana ssp takayuensis, parvistipula, polyptera, tamarisci ssp tamarisci, tamarisci ssp nisquallensis, taradakensis, valida var fuscovirens -]

Boston-Spectr, Saint Petersburg & Yakutsk,

[/ E] # 3302

Pradhan N 2012

Approach to Determine the Diversity and Conservation Status of Bryophytes in Northern Sindhupalchok District of Nepal

Mapping of bryoflora distribution in Northern Sindhupalchok - Distribution of Bryoflora in Northern Sindhupalchok District, Central Nepal.

[as3: Nepal - Fr dalatata, ericoides, gracillima, muscicola, tamarisci, yunnanensis -]

<http://www.ruffordsmallgrants.org/files/Mapping%20of%20bryoflora%20distribution%20in%20Northern%20Sindhupalchok.pdf>, , 4 pp.

[/ E] # 3391

Pradhan N 2012

Distribution of Bryoflora in Northern Sindhupalchok District, Central Nepal. - An Approach to Determine the Diversity and Conservation Status of Bryophytes in Northern Sindhupalchok District of Nepal

Detailed Final report, Submitted to Rufford Small Grant Foundation, UK.

[as3: Nepal - Fr dilatata, gracillima -]

, , 63 pp

[/ E] # 3337

Pradhan N 2012

Distribution of Bryoflora in Northern Sindhupalchok District, Central Nepal.

[as3: Nepal - -]

, , 4 pp

[/ E] # 3335

Pradhan N 2012

Approach to Determine the Diversity and Conservation Status of Bryophytes in Northern Sindhupalchok District of Nepal.

Final report, submitted to Rufford Small Grant Foundation, UK

[as3: Nepal - Fr dilatata, ericoides, gracillima, muscicola, retusa, tamarisci, yunnanensis -]

<http://www.ruffordsmallgrants.org/files/10111-2%20Detailed%20Final%20Report.doc>, , 63 pp.

[/ E] # 3392

Putrika A 2012

Keragaman lumut epifit di hutan kota dan tepi jalan utama campus Universitas Indonesia / Epiphytic bryophyte diversity at urban forest and main street of Universitas Indonesia.

Thesis (Master of Science) - Faculty of Mathematics and Natural Sciences, University of Indonesia, Depok

[as4: Indonesia - Fr companulata [campanulata] - Epiphytes]

, , 78 pp.

[/ E] # 3566

Rashid A, Mishra R & Sharma A 2012

Bryoflora of District Rajouri - Jammu and Kashmir State, India

[as3: India (Jammu and Kashmir) - Fr gaudichaudii, muscicola, neurota -]

Archive for Bryology, 145, 1-11

[/ E] # 3444

Rist L, Shanley P, Sunderland T, Sheil D, Ndoye O, Liswanti N & Tieguhong J 2012

The impacts of selective logging on non-timber forest products of livelihood importance.

[- Fr convoluta - Managed forest]

Forest Ecology and Management, 268, 57-69

[/ E] # 3593

Rozas-Muñoz E, Lepoittevin JP, Pujol RM & Giménez-Arnau A 2012

Allergic Contact Dermatitis to Plants: Understanding the Chemistry will Help our Diagnostic Approach.

[- - Contact dermatitis]

Actas Dermosifiliográficas, 103 (6), 456-477

[/ E] # 3359

Sargant ML & Lucas DH 2012

Sub-Guide to "Leafy" Liverworts [Revised through 23 July 2012]

- Under: A perspective oriented guide for the identification of North American moss genera

[- - Key]

www.life.illinois.edu/moss-guide/Liverworts/Sub-Guide-Leafies.pdf [accessed 5.3.2017], ,

[/ E] # 4532

Sargant ML & Lucas DH 2012

Skeleton to "Leafy" Liverworts [Revised through 23 July 2012]

- Under: A perspective oriented guide for the identification of North American moss genera

[- - Key]

www.life.illinois.edu/moss-guide/Liverworts/Sub-Guide-Leafies.pdf [accessed 5.3.2017], ,

[/ E] # 4533

Schäfer-Verwimp A, Peralta DF & Siqueira SM da C 2012

Frullania curvilobula (Frullaniaceae, Marchantiophyta), a new species from Brazil.

[am5: Brazil - *Fr curviloba*, *lindbergii*, *grossifolia* -]

Phytotaxa, 57, 27-30

[/ E] # 3323

Seki T / 関 太郎 2012

松山市産コケ植物目録 / Species list of Bryophytes in Matsuyama City, Ehime Prefecture, Shikoku, Japan.

松山市野生動植物目録 / Matsuyama wildlife catalog

[38 JAP as2: Japan - *Fr amplicrania*, *davurica*, *diversitexta*, *ericoides*, *fauriana*, *musciola*, *osumiensis*, *parvistipula*, *pedicellata*, *schensiana*, *tamarisci* ssp *obscura*, *usamiensis*, *valida* -]

, , 377-388

[/ E] # 3731

Shneyer VS, Kotseruba VV / Шнейер ВС & Коцербуа ВВ 2012

ЧАСТО ЛИ ВСТРЕЧАЮТСЯ СКРЫТЫЕ ВИДЫ У РАСТЕНИЙ? / Cryptic species of plants. How frequently do they occur?

-In: МЕТОДЫ АНАЛИТИЧЕСКОЙ ФЛОРИСТИКИ И ПРОБЛЕМЫ ФЛОРОГЕНЕЗА / Analytical approaches in floristic studies and methods of biogeography.

[- *Fr asagrayana*, *tamarisci* -]

Proceedings of the First International Conference: "Analytical Approaches in Floristic Studies and Methods of Biogeography: Simple Examples and Frameworks for the Future" (Russia, Astrakhan, Astrakhan State University, August 2011), , 28-37

[/ E] # 3765

Sinclair B 2012

Resilience of bryophytes to timber harvesting.

Thesis (Dr. phil.) - Deakin Unisversity

[aust1: Australia - *Fr falciloba* -]

, , 153 pp.

[/ E] # 3532

Singh SK & Barbhuiya HA 2012

Contribution to the hepaticae and anthocerotae of Mizoram III. - New records of two Frullania subgen. Chonantheia from Mizoram, India.

[as3: India (Mizoram) - Fr neurota, riojaneirensis -]

Journal of Non-Timber Forest Products, 19 (2), 159-166

[/ E] # 3338

Singh SK & Barbhuiya HA 2012

Contribution to the Hepaticae and Anthocerotae of Mizoram V. Three New Taxa of Frullania from India.

[as3: India (Mizoram) - Fr mizoramensis, evelynae var devendrae, evelynae var srivastavae -]

Taiwania, 57 (2), 106-116

[/ E] # 3321

Singh SK & Barbhuiya HA 2012

A Compendium to Marchantiophyta and Anthocerotophyta of Assam, India.

[as3: India (Assam) - Fr apiculata, berthoumieui, hampeana, musicola -]

Archive for Bryology, 149, 1-30

[/ E] # 3445

Söderström L, Hagborg A, Crosby MR & Von Konrat M 2012

Early Land Plants Today: Index of Liverworts & Hornworts 2009–2010.

[- Fr brasiliensis fo. spinulifera, colliculosa, cretacea, hodgsoniae, mesophila, teneriffae fo. explanata - Index, nomenclature]

Phytotaxa, 63, 21-68

[/ E] # 3448

Sofronova EV – EB Софронова 2012

New liverwort records from Republic of Sakha (Yakutia). 7. – Новые находки печеночников в Республике Саха (Якутия). 7.

[Russia - Fr inflata -]

Arctoa, 21, 294

[/ E] # 3794

Song L, Liu W-Y, Ma W-Z & Qi J-H 2012

Response of epiphytic bryophytes to simulated N deposition in a subtropical montane cloud forest in southwestern China.

[- -]

Oecologia. 2012 May 12. [Epub ahead of print]

DOI 10.1007/s00442-012-2341-9, ,

[/ E] # 3312

Srikrishna A & Dathe DH 2012

Enantiospecific synthesis of pacifigorgianes.

[- Fr fragilifolia, tamarisci - Chemistry, pacifigorgianes]

Indian Journal of Chemistry, 51B, 345-355

[/ E] # 2078

Ștefănuț S & Goia I 2012

Checklist and Red List of Bryophytes of Romania.

[eur: Romania - Fr dilatata, fragilifolia, jackii, parvistipula, tamarisci - Checklist, red list]

Nova Hedwigia, 95 (1), 59-104

[/ E] # 3487

Tateishi Y, Kawai K, Tamura E & Nishimura N / 立石幸敏 川合啓二 田村英子 & 西村直樹 2012

慈眼寺石灰岩地(徳島県勝浦郡上勝町)の蘚苔類 / Bryophytes of the Jigenji-temple limestone area, Shikoku, Japan.

[38 JAP as2: Japan - Fr aoshimensis, hamatiloba, inflata, muscicola, tamarisci ssp obscura -]

Naturalistae / 学術資料, 16, 91-97

[/ E] # 3265

Timme SL & Redfearn P 2012

Checklist of the liverworts and hornworts of the interior highlands of North America in Arkansas, Illinois, Missouri and Oklahoma (Revised January, 2012).

[am1: USA (Arkansas, Illinois, Missouri, Oklahoma) - Fr brittoniae, eboracensis, eboracensis ssp virginica, ericoides, inflata, kunzei, riparia, tamarisi ssp tamarisi, tamarisi ssp asagrayana, wrightii -]

http://biology.missouristate.edu/herbarium/liverw_t.htm, , 30 pp.

[/ E] # 3267

Tsegmed T, Otnyukova TN & Enkhjargal W / ЦОГИЙН ЦЭГМЭД ТАТЪЯНА Н ОТНЮКОВА ЭНХТАЙВАН ЭНХЖАРГАЛ 2012

Contribution to the hepatic flora of Mongolia / К ФЛОРЕ ПЕЧЕНОЧНИКОВ МОНГОЛИИ.

[37 MON-OO as2: Mongolia - Fr bolanderi, dilatata, eboracensis, muscicola -]

Arctoa, 21, 71-76

[/ E] # 4005

Urgilés-Verdugo C & Gallo F 2012

Informe del Análisis Multivariado de Agrupamiento de las Localidades donde se han realizado Estudios Florísticos para la dieta del tapir de montaña (Tapirus pinchaque ROULIN, 1829). Ecuador y Colombia 2012.

Monitoreo y Análisis de Viabilidad Poblacional Participativo de la Danta de Montaña (Tapirus pinchaque ROULIN, 1829), en Tres Localidades del Parque nacional Cayambe-Coca, Andes Orientales Ecuatorianos

[- Fr hydromerica -]

Instituto Para La Conservación y Capacitación Ambiental (I.C.C.A.), , 17 pp.

[/ E] # 3756

Verma PK, Rawat KK, Yadava A & Das N 2012

The Liverwort and Hornwort flora of Hoollongapar Gibbon Sanctuary, Jorhat (Assam) -1.

[as3: India (Assam) - Fr ericoides -]

Archive for Bryology, 152, 1-16

[/ E] # 3446

Visnadi SR 2012

Briófitas da Estação Ecológica Jureia-Itatins, estado de São Paulo, Brasil.

[am5: Brasil - Fr arecae, beyrichiana, brasiliensis, caulisequa, ericoides, glomerata, kunzei, riojaneirensis, schaefer-verwimpaii, setigera, vitalii -]

Tropical Bryology, 34, 17-31

[/ E] # 3811

Vojtkó A, Sass-Gyarmati, A Pócs T & Dulai S 2012

Critical assesment of the flora of the Vargyas Gorge (Eastern Carpathiens).

[eur: Romania - Fr dilatata -]

Acta Biologica Plantarum Agriensis, 2, 27-74

[/ E] # 3329

Vojtkó A, Sass-Gyarmati A, Dulai S & Pócs T 2012

Critical assessment of the flora of the Vargyas George (Eastern Carpathians).

[eur: Romania - Fr dilatata -]

Acta Biologica Plantarum Agriensis, 2, 27-72

[/ E] # 3332

von Konrat M, de Lange P, Greif M, Strozier L, Hentschel J & Heinrichs J 2012

Frullania knightbridgei, a new liverwort (Frullaniaceae, Marchantiophyta) species from the deep south of Aotearoa-New Zealand based on an integrated evidence-based approach.

[aust2: New Zealand - Fr asagrayana, knightbridgei, lobulata, magellanica, microcaulis, microphylla, parhamii, rostrata -]

PhytoKeys, 8, 13-36

[/ E] # 3204

Walter J 2012

Fleas, Cannonballs and Slimy Things of the Forest.

[- - Home to the rotifers]

Wombat Forestcare Newsletter, 20, 4-7

[/ E] # 3316

Wang D-H, Wang Y-F, Zuo Q, Li M, Wu W-Y, Huang J-H & Zhao M-S 2012

Bryophyte species diversity in seven typical forests of the West Tianmu Mountain in Zhejiang, China. 浙江西天目山主要森林类型的苔藓多样性比较.

[Journal of Plant Ecology 36: 550-559]

[China - Fr bolanderi, fuscovirens, moniliata, muscicola, parvistipula -]

CJPE2012-06-A1, , 1-5

[/ E] # 3700

Wiggington MJ 2012

Mosses & Liverworts of St Helena.

[28 afr2: St Helena - Fr depressa -]

Pisces Publications, Newbury, Berkshire, 128 pp

[P /] # 4162

Yano O 2012

Catálogo das Briófitas (antóceros, hepáticas e musgos) do Estado do Espírito Santo, Brasil.

[am5: Brazil - Fr arecae, beyrichiana, brasiliensis, caulisequa, dilatata, dusenii, ericoides, gibbosa, glomerata, griffithsiana, gymnotis, neesii, neurota, riojaneirensis, setigera, subtilissima, supradecomposita -]

Pesquisas, série Botânica [São Leopoldo: Instituto Anchietano de Pesquisas], 63, 55-140

[/ E] # 3678

2013

Akiyama H, Yokoyama H, Tanaka A, Furuki T & Yamaguchi T / 秋山弘之・横山勇人・田中敦司・古木達郎・山口富美夫 2013

多様な環境を有する島嶼における蘚苔類の種多様性調査- 32 km

長距離ベルトトランゼクト法を活用した屋久島での事例 / Bryophyte species richness investigated by long belt-transects method: A case study in Yakushima Island

秋山弘之・横山勇人・田中敦司・古木達郎・山口富美夫

[as2: Japan - Fr tamarisci ssp obscura -]

Humans and Nature / 人と自然 , 24, 21-31

[/ E] # 3912

Akiyama H, Yokoyama H, Tanaka A, Furuki T & Yamaguchi T 2013

Bryophyte species richness investigated by long belt-transects method: A case study in Yakushima Island. (Appendix 1)

[as2: Japan - Fr amplicrania, aoshimense, densiloba, diversitexta, hypoleuca, inflata, meyeniana, motoyana, muscicola, tamarisci ssp obscura -]

Humans and Nature, ,

[/ E] # 3909

ANĐIĆ B, DRAGIĆEVIĆ S & STEŠEVIĆ D 2013

Bryophyte flora of "Forest Park Gorica" (Podgorica, Montenegro)

[eur: Montenegro - Fr dilatata -]

Agriculture & Forestry, 59 (4), 143-152

[/ E] # 3936

Asthana AK & Sahu V 2013

Frullania physantha Mitt., in India (Western Himalaya) (New national and regional bryophyte records [incl. notes], 37) [Bryological Note], J-35, 296

[as3: India - Fr physantha -]

Journal of Bryology, 35, 296

[/ E] # 4016

Asthana AK & Sahu V 2013

Bryophyte Diversity in Mukteshwar (Uttarakhand): an overview.

[as3: India (Uttarkhand) - Fr ericoides, muscicola -]

Archive for Bryology, 154, 1-11

[/ E] # 3461

Ayukawa ES & Kanda H / 鮎川恵理 & 神田啓史 2013

奥入瀬溪流のコケ植物について / Bryophytes in the Oirase Gorge, Northern Honshu, Japan

[38 JAP as2: Japan - Fr muscicola, oakesiana ssp takayuensis, tamarisci ssp obscura -]

The bulletin of Laboratory for Energy, Environment and Systems, Hachinohe Institute of Technology / 八戸工業大学エネルギー環境システム研究所紀要 , 11, 11-19

[/ E] # 3690

Bach E & Dos Santos RP 2013

Aspectos ultraestruturais da esporoderme de Frullania brasiliensis Raddi (Jungermanniales, Marchantiophyta)

Resumos do 56º Congresso Nacional de Botânica

[- Fr brasiliensis -]

, ,

[/ E] # 3930

Birky CW Jr 2013

Species detection and identification in sexual organisms using population genetic theory and DNA sequences.

[- Fr tamarisci s.l. - Systematics, DNA taxonomy]

PLoS ONE, 8 (1), e52544

[/ E] # 3972

Bock B 2013

Die Totholz-Moosvegetation des Nationalparks Kalkalpen (Oberösterreich)

Thesis - Master of Science (MSc.), Universität Wien

[eur: Austria - Fr dilatata, tamarisci -]

, , 72 pp.

[/ E] # 3934

Bomble FW 2013

Epiphytische Moose in Nordrhein-Westfalen: häufige Arten und Einwanderung atlantischer Arn.

[eur: Germany (Nordrhein-Westfalen) - Fr dilatata -]

Bochumer Botanischer Verein – www.botanik-bochum.de – Pflanzenporträt 2013, , 11 pp.

[/ E] # 3439

Brackel W von 2013

Moose und Flechten auf der Nürnberger Kaiserburg.

[eur: Germany (Bavaria) - Fr dilatata -]

Natur und Mensch - Jahresmitteilungen 2011 der Naturhistorischen Gesellschaft Nürnberg e.V., , 93-106

[P / E] # 3449

Brito E da S & Ilkiu-Borges AL 2013

Bryoflora of the municipalities of Soure and Cachoeira do Arari, on Marajó Island, in the state of Pará, Brazil.

[am5: Brazil - Fr apiculata, gibbosa, riojaneirensis -]

Acta Botanica Brasilica, 27 (1), 124-141

[/ E] # 3740

Brogmus H 2013

Frullania dilatata – Ein Lebermoos mit Untermietern.

[- -]

Mikrokosmos, 102, 4-8

[/] # 3846

Campisi P, Dia MG, Jury SL & Raimondo FM 2013

Bryophytes collected during the fifth "Iter Mediterraneum" in Morocco, 8-27 June, 1992.

[20 afr1: Morocco - Fr dilatata -]

Bocconea, 26, 173-179

[/ E] # 3836

Castello M & Starzzaboschi L 2013

Le briofite della Grotta dell'Orso (33-7VG, Carso Tiestino, NE Italia).

Atti e Memorie della Commissione Grotte "E. Boegan".

[eur: Italy - Fr dilatata -]

, 44, 55-71

[/ E] # 3507

Choi S-S, Bakalin VA & Sun B-Y 2013

Hepatics of Mt. Deogyu National Park, Republik of Korea.

[as2: South Korea - Fr appendiculata, davurica, diversitexta, inflata, muscicola, polyptera, taradakensis, usamiensis -]

Botanica Pacifica, 2 (1), 63-71

[/ E] # 3746

Daniels AED & Daniel P 2013

The bryoflora of the southernmost Western Ghats, India.

[as3: India - Fr acutiloba, apiculata, campanulata, ceylanica, ericoides, inflexa, muscicola, tamarisci -]

Bishen Singh Mahendra Pal Singh, Dehra Dun, 352 pp

[P /] # 4023

Daniels AED & Kariyappa KC 2013

Cheilolejeunea trapezia (Nees) Kachroo & R.M. Schust. ex Mizut. var. ceylanica (Gottsche) A.E.D. Daniels & K.C. Kariyappa comb. et stat. nov. (Lejeuneaceae) from India

[as3: India - Cheilolejeunea trapezia -]

Taiwania, 58 (2), 140-145

[/ E] # 4368

Das S & Sharma GH 2013

Inventorization of Marchantiophyta in Barail Wildlife Sanctuary, Assam, India with special reference to their microhabitat.

[as3: India (Assam) - Fr ericoides, muscicola -]

Archive for Bryology, 166, 1-12

[/ E] # 3516

Dolnik C & Napreenko MG 2013

The Bryophytes of the Southern Curonian Spit (Baltic Sea coast).

[eur: Russia (Kaliningrad) - Fr dilatata -]

<http://napreenko.ru/opera/1744/>, ,

[/ E] # 3770

Drehwald U 2013

Rote Liste der Moose Hessens (1. Fassung, Stand April 2013)

[eur: Germany (Hessian State) - Fr dilatata, fragilifolia, tamarisci - Red list]

Hessisches Ministerium für Umwelt, Energie, Landwirtschaft und Verbraucherschutz (HMUELV), ,

[/ E] # 3876

Egunyomi A & Oyesiku OO 2013

Updating the collection records of hepatics in Nigeria.

[22 afr2: Nigeria - Fr ericoides, spongiosa, trinervis -]

Nigerian Journal of Botany, ,

[/ E] # 3830

Ericsson T 2013

Beskrivning av uppdrag: Inventering av ett urval mossor och lavar i Värmland 2013.

Upphandlingsunderlag Mossor och lavar 2013

[eur: Sweden - Fr bolanderi, oakesiana -]

, , 7 pp.

[/ E] # 3842

Ezer T & Kara R 2013

Succession of epiphytic bryophytes in Cedrus libani forest on the Meydan Plateau (Aladağ).

[as5: Turkey - Fr dilatata -]

Turkish Journal of Botany, 37, 389-397

[/ E] # 3840

Fichtner A & Lüderitz M 2013

Signalarten – ein praxisnaher Beitrag zur Erfassung der Naturnähe und Biodiversität in Wäldern.

[- Fr dilatata, fragilifolia, tamarisci -]

Natur und Landschaft, 88 (9/10), 392-399

[/ E] # 3982

Fischer E 2013

Liverworts and Hornworts of Rwanda.

[23 afr2: Rwanda - Fr angulata, apicalis, apiculata, arecae, cafraria, capensis, depressa, ericoides, imerinensis, lindenberghii, mildbraedii, obscurifolia, schimperii, serrata, socotrana, spongiosa - identification keys, habitat and microscopic photographs]

Abc Taxa, 14, 1-551

[P / E] # 4022

Fischer E 2013

Liverworts and Hornworts of Rwanda.

[23 afr2: Rwanda - Fr angulata, apicalis, apiculata, arecae, cafraria, capensis, depressa, ericoides, imerinensis, lindenberghii, mildbraedii, obscurifolia, schimperii, serrata, socotrana, spongiosa -]

Abc Taxa vol. 14 [low resolution: http://www.abctaxa.be/volumes/volume-14-liverworts-and-hornworts-rwanda/abctaxa14_web-xs.pdf] [<http://www.abctaxa.be/volumes/volume-14-liverworts-and-hornworts-rwanda>] [in 28 parts high resolution], , 552 pp.

[/ E] # 3999

Frahm J-P 2013

Die Moosflora ausgewählter Naturräume 9. Der Bayerische Wald.

[eur: Germany (Bavaria) - Fr fragilifolia, jackii -]

Limprichtia, 30 (9), 1-7

[/ E] # 3880

Frahm J-P 2013

Mosses and Liverworts of the Western Ghats, India - a picture book. (2nd. revised ed. 2013)

[as3: India - Fr obscura -]

Archive for Bryology Special Volume 14

[<http://www.jan-peter-frahm.de/Archive/Indien%2000.pdf>], , 1-62

[/ E] # 3523

Frahm J-P 2013

Guide to Bryological hot spots in Europe 6. Ticino in Switzerland.

[eur: Switzerland - Fr inflata, riparia -]

Archive for Bryology, 194 [192], 1-9

[/ E] # 3869

Frahm J-P & Gröhn C 2013

Neue Nachweise von Moosen aus Baltischem Bernstein.

[eur: Baltic area - Fr baltica - Fossil, amber, Baltic amber]

Archive for Bryology, 175 [2015], 1-8

[/ E] # 3685

Frahm J-P 2013

Nordamerikanische Moosarten in Europa

[eur: -]

Archive for Bryology, 160, 1-10

[/ E] # 3440

Gendo A 2013

Diversität und Verbreitung der Moose von Niederösterreich in historischen Arbeiten und Belegen.

Diplomarbeit (Magistra der Naturwissenschaften (Mag. rer.nat.) - Universität Wien

[eur: Austria - Fr fragilifolia, jackii, parvistipula, tamarisci -]

, , 179 pp.

[/ E] # 4096

Górski P 2013

Rediscovery of the liverwort *Frullania fragilifolia* in Poland.

[eur: Poland - Fr fragilifolia -]

Polish Botanical Journal, 58 (2), 605-611

[/ E] # 3874

Górski P 2013

Rediscovery of the liverwort *Frullania fragilifolia* in Poland.

[eur: Poland - Fr fragilifolia -]

Polish Botanical Journal [In press], 58 (2), xx-xx

[/ E] # 3871

Gradstein SR 2013

Afro-American hepatics revisited.

[- Fr ecklonii -]

Polish Botanical Journal, 58 (1), 149–177

[/ E] # 3864

He Q, Liu L-J, Liu C-X, Liu G-L, Ma Y, Gao D-L, Wei Y-M, Shi R-P, Shu L & Zhu R-L 2013

Synonymy, taxonomic notes, and range extensions for several noteworthy Asian liverworts

[- -]

Journal of Bryology, 35 (2), 123-128

[/ E] # 4318

Heidtmann LP 2013

Florística e Ecologia de Briófitas em um Fragmento de Restinga no Extremo sul do Brasil.

Thesis (Dissertação, Pós-graduação em Biologia de Ambientes Aquáticos Continentais) - Universidade Federal do Rio Grande, Instituto de Ciências Biológicas

[am5: Brazil - Fr caulisequa, glomerata, riojaneirensis -]

, Rio Grande, 80 pp.

[/ E] # 3742

Heinrichs J, Vitt DH, Schäfer-Verwimp A, Ragazzi E, Marzaro G, Grimaldi D, A Nascimbene PC, Feldberg K & Schmidt AR 2013

The moss *Macromitrium richardii* (Orthotrichaceae) with sporophyte and calyptra enclosed in Hymenaea resin from the Dominican Republic.

[81 am3: Dominican Republic - Fr spec. - Fossil, amber, Miocene, Dominican Republic]

Polish Botanical Journal, 58 (1), 221–230

[/ E] # 3774

Hofmann H 2013

Die geschützten Moosarten der Schweiz

[eur: Switzerland - Fr cesatiana, parvistipula -]

www.blam-hp.eu/Artenschutz_BLAM/geschuetzte_Moose_CH.pdf, , 1 pp.

[/ E] # 4049

Hugonnot V, Celle J & Vergne T 2013

Bryophytes Hyperocéaniques dans les Vallons du Sud-Ouest du Massif Central (France).

[eur: France - Fr jackii -]

Cryptogamie, Bryologie, 34 (3), 325-339

[/] # 3922

Jukonienė I, Uselienė A & Uselis V 2013

Contribution to the bryophyte flora of the Viešvilė State Strict Nature Reserve.

[Lithuania - Fr tamarisci -]

Botanica Lithuanica, 19 (1), 75-79

[/ E] # 3775

Katagiri T, Sadamitsu A, Miyauchi H, Tsubota H & Deguchi H 2013

Taxonomic studies of the Trichocoleaceae in Southeast Asia. III. The genus Trichocolea Dumort.

[- Trichocolea -]

Hattoria, 4, 1-42

[/ E] # 4346

Kim J-S, Kim S-Y, Lee B-Y, Yoon Y-J, Choi S-S & Sun B-Y 2013

A fieldguide to bryophytes in Korea

Kim J-S, Kim S-Y, Lee B-Y, Yoon Y-J, Choi S-S & Sun B-Y

[as2: Korea - Fr appendiculata, bolanderi, davurica, diversitexta, kagoshimensis, muscicola, osumiensis, taradakensis, usamiensis - Field guide]

정부간행물번호 Government publication number: 11-1480592-000506-01 National Institute of Biological Resources (NIBR), Incheon, 335 pp.

[P /] # 4566

Kirmaci M, Agcagil E & Aslan G 2013

The bryophyte flora of ancient cities of Aydın Province (Turkey).

[as5: Turkey - Fr dilatata -]

Botanica Serbica, 37 (1), 31-38

[/ E] # 3531

Kitlap P 2013

Survey and identification of liverwort genus Frullania at Khao Soi Dao Wildlife Sanctuary, Chanthaburi province, Senior Project.

[- -]

Department of Biology, Faculty of Science, Burapha University, Conburi, Thailand (in Thai), ,

[/] # 3901

Konstantinova N & Savchenko A 2013

Russian Caucasus distribution of fourteen hepatics rare and threatened in Europe

[- Fr bolanderi, parvistipula - Hepaticae, taxonomy, distribution, phytogeography, reproduction, ecology, Caucasus]

Polish Botanical Journal, 58 (2), 573-584

[/ E] # 4510

Meier MK, Urmi E, Schnyder N, Bergamini A & Hofmann H 2013

Checkliste der Schweizer Moose.

Nationales Inventar der Schweizer Moosflora.

[eur: Switzerland - Fr dilatata, fragilifolia, inflata, jackii, parvistipula, riparia, tamarisci -]

www.nism.uzh.ch/download/.../Checkliste_CH_Moose_2013.pdf Institut für Systematische Botanik der Universität Zürich., ,

[/ E] # 3931

Nair MC 2013

Current status and distribution of Bryophytes of the Western Ghats, India

[as3: India (Western Ghats) - Fr acutiloba, apiculata, arecae, calcarata, campanulata, ceylanica, debilis, densiloba, ericoides, evoluta, gaudichaudi var ceylonica, gaudichaudii var gaudichaudii, inflexa, muscicola, neurota, nodulosa, polyptera, ramuligera, riojaneirensis, serrata, squarrosa, tamarisci ssp moniliata, tamarisci ssp obscura -]

Proceedings of the UGC National Seminar - Western Ghats, , 50-64

[/ E] # 4128

Ódor P, Király I, Tinya F, Bortignon F & Nascimbene J 2013

Patterns and drivers of species composition of epiphytic bryophytes and lichens in 8 managed temperate forests.

[- Fr dilatata -]

Forest Ecology and Management, 306, 256-265

[/ E] # 3865

Oesau A 2013

Moose (Bryophyta et Marchantiophyta) im Naturschutzgebiet „Mombacher Rheinufer“, einem Auenwald im Stadtgebiet von Mainz (Rheinland-Pfalz).

[eur: Germany - Fr dilatata -]

Limprichtia, 30 (1), 1-12

[/ E] # 3752

Oesau A 2013

Zur Moosflora des Naturschutzgebietes „Haderaue-Königsklinger Aue“ bei Budenheim am Rhein (Rheinhessen, Rheinland-Pfalz).

[eur: Germany - Fr dilatata -]

Limprichtia, 30 (2), 1-13

[/ E] # 3751

Olofin TA, Akande AO & Oyetayo VO 2013

Assessment of the antimicrobial properties of fractions obtained from bryophytes.

[- Fr spongiosa - Antimicrobial efficacy]

Journal of Microbiology and Antimicrobials, 5 (5), 50-54

[/ E] # 3838

Olofin TA, Akande AO & Oyetayo VO 2013

Assessment of the antimicrobial properties of fractions obtained from bryophytes.

[- Fr spongiosa - Antimicrobial activity]

Journal of Microbiology and Antimicrobials, 5 (5), 50-54

[/ E] # 3514

Papp B, Alegro A, Šegota V, Šapić I & Vukelić J 2013

Contributions to the bryophyte flora of Croatia I. Gorski Kotar region (W Croatia).

[eur: Croatia - Fr dilatata, tamarisci -]

Studia bot. hung, 44, 193-211

[/ E] # 4099

Pardow A & Lakatos M 2013

Desiccation tolerance and global change: Implications for Tropical Bryophytes in Lowland Forests.

[am5: French Guiana - Fr nodulosa -]

Biotropica, 45 (1), 27–36

[/ E] # 3504

Pharoa EJ, Meagher DA & Lindenmayer DB 2013

Bryophyte persistence following major fire in eucalypt forest of southern Australia.

[aust1: Australia - Fr clavata, probosciphora, rostrata -]

Forest Ecology and Management, 296, 24–32

[/ E] # 3505

Pócs T, Luong T-T & Ho B-C 2013

New or little known epiphyllous liverworts, XVIII. Records from the Bidoup-Núi Bà National Park, Vietnam, with the description of *Drepanolejeunea bidoupensis*, sp. nov.

[as3: Vietnam - Fr alstonii, apiculata -]

Cryptogamie, Bryologie, 34 (3), 287-298

[/ E] # 4283

Rist L, Shanley P, Sunderland T, Sheil ,D Ndoye O, Liswanti N & Tieguhong J 2013

Los efectos de la tala selectiva en los productos forestales no maderables de importancia para los medios de vida. [p. 107-143]

-In: Guariguata, M.R. [Ed.], Avances y perspectivas del manejo forestal para uso múltiple en el trópico húmedo.

[as4: Indonesia - Fr convoluta -]

Center for International Forestry Research, Bogor, 281 pp.

[/ E] # 3509

Saputra A 2013

Identifikasi lumut (bryophyta) di Kebun Raya Bukit Sari kabupaten Tebo provinsi Jambi.

[as4: Indonesia (Java) - Fr repandistipula -]

Fakultas Keguruan dan Ilmu Pendidikan Universitas Jambi, Mahasiswa FKIP Universitas Jambi, , 7 pp.

[/ E] # 3536

Schäfer-Verwimp A, Lehnert M & Nebel M 2013

Contribution to the knowledge of the bryophyte flora of Ecuador.

[am4: Ecuador - Fr aculeata, arecae, atrata, bicornistipula, brasiliensis, cuencensis, dusenii, ericoides, intumescens, lobatohastata, macrocephala, meridana, mirabilis, paradoxa, peruviana, pluricarinata, rio-janeirensis, setigera, tunguraguana -]

Phytotaxa, 128 (1), 1-63

[/ E] # 3799

Schuller R 2013

Fox Hollow Research Natural Area: Guidebook Supplement 44

[am1: USA - Fr bolanderi, californica, nisquallensis -]

U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR, 29 pp.

[/ E] # 3844

Schwarz U 2013

An Updated Checklist of Bryophytes of Karnataka

[as3: India (Karnataka) - Fr arecae, breviramea, campanulata, ericoides, neurota, obscura, tamarisci, tamarisci ssp. obscura -]

Archive for Bryology, 181, 1-42

[/ E] # 4071

Söderström L, Hagborg A, von Konrat M & Sénéca A 2013

The Guaraní land - checklist of hornworts (Anthocerotophyta) and liverworts (Marchantiophyta) of Paraguay.

[am5: Paraguay - Fr cyparioides, ericoides, tetraptera - Checklist]

Polish Botanical Journal, 58 (1), 267–277

[/ E] # 3831

Sofronova EV, Mamontov YS & Potemkin AD 2013

Frullania ignatovii (Porellales, Marchantiophyta)—Novyj vid iz Sibiri [*Frullania ignatovii*, a new species from Siberia].

[as1: Russia (Yakutia, Baikal Siberia) - *Fr ignatovii* -]

Novosti Sistematiki Nizshikh Rastenii

Novosti Sistematiki Nizshih Rastenij, 47, 334-343

[/ E] # 4285

Tia Y,-L Li J-Q, Shi A-P, Yu J-J & Wang W-H / 田晔林 摇李俊清 摇石爱平 摇于建军 & 摇王文和 2013

北京百花山自然保护区树附生苔藓植物物种多样性 / Species diversity of epiphytic bryophytes in Baihua Mountain National Nature Reserve, Beijing.

[as2: China - *Fr musicicola*, *scheasiana* -]

Chinese Journal of Ecology / 生态学杂志, 32 (4), 838-844

[/ E] # 3515

Tsegmed T & Bai X-L / ЦОГИЙН ЦЭГМЭД БАЙ ШУ-ЛИАНГ 2013

Contribution to the hepatic flora of Mongolia 2 / ДОПОЛНЕНИЕ К ФЛОРЕ ПЕЧЕНОЧНИКОВ МОНГОЛИИ. 2.

[37 MON-OO as2: Mongolia - *Fr inflata*, *musciicola*, *parvistipula* -]

Arctoa, 22, 163-165

[/ E] # 4006

Tuiwawa MV, Pene S & Tuiwawa SH [Edit] 2013

A rapid biodiversity assessment & archaeological survey of the Fiji REDD+ Pilot Site: Emalu Forest, Viti Levu. - Appendix 1. Species checklist of the non-vascular flora and lichens. [p. 97-102]

[oc: Fiji - *Fr apiculata*, *arecae*, *capillaris*, *chevalieri*, *cordistipula*, *ericoides*, *intermedia*, *intesmed*, *gaudichaudii*, *gracilis*, *intermedia*, *meyeniana*, *neurota*, *nodulosa*, *ramuligera*, *ternatensis* -]

Institute of Applied Sciences, University of the South Pacific, for the Forestry Department of the Ministry of Agriculture, Fisheries and Forestry, Republic of the Fiji Islands;, , 163 pp.

[/ E] # 4130

Uribe-M J 2013

Type studies on *Frullania* subgenus *Meteoriopsis* (Marchantiophyta). VII. On *F. angulata* Mitt. and *F. longistipula* Steph.

[- *Fr angulata*, *longistipula* -]

Polish Botanical Journal [In press], 58 (2), xx-xx

[/ E] # 3872

Valente EB, Pôrto KC, Bastos CJP & Ballejos-Loyola J 2013

Diversity and distribution of the bryophyte flora in montane forests in the Chapada Diamantina region of Brazil

[am5: Brazil - *Fr arecae*, *atrata*, *brasiliensis*, *breuteliana*, *griffithsiana*, *caulisequa*, *kunzei*, *lindenberghii*, *mucronata*, *setigera* -]

Acta Botanica Brasilica, 27 (3), 506-518

[/ E] # 4543

Valente EB, Pôrto KC, Bastos CJP 2013

Species richness and distribution of bryophytes within different phytophysognomies in the Chapada Diamantina region of Brazil

[am5: Brazil - *Fr arecae*, *atrata*, *beyrichiana*, *brasiliensis*, *breuteliana*, *caulisequa*, *ericoides*, *gibbosa*, *glomerata*, *griffithsiana*, *kunzei*, *lindenberghii*, *mucronata*, *riojaneirensis*, *setigera* -]

Acta Botanica Brasilica, 27 (2), 294-310

[/ E] # 4544

van Haasteren A 2013

Intraspecific variability of *Frullania dilatata* and *Metzgeria furcata* in The Netherlands.

Bachelor's internships - Universiteit Leiden - Naturalis Biodiversity Center

[11 NET-OO eur: Netherlands - -]

[/] # 3772

Van Zanten BO 2013

Addition to the bryophyte flora of Albania.

[13 eur: Albania - Fr dilatata -]

Polish Botanical Journal, 58 (1), 287–292

[/ E] # 3776

Váňa J & Engel JJ 2013

The Liverworts and Hornworts of the Tristan da Cunha group of islands in the South Atlantic Ocean.

[90 TDC-OO ant: Tristan da Cunha Isl. - Fr brasiliensis, lindenbergii, magellanica ssp tristaniana -]

Memoirs of the New York Botanical Garden, 105, 148 pp

[P /] # 3868

Veljic M 2013

Bryophyte flora of Mt. Kopaonik (Serbia).

[eur: Serbia - Fr dilatata - Bryophyte flora, Mt. Kopaonik, Serbia]

Nature Conservation, 53 (1-2), 73-91

[/ E] # 3896

Verma PK A & Rawat KK 2013

Assesment of liverwort and hornwort flora of Nilgiri hills, Western Ghats (India).

[as3: India (Nilgiri Hills) - Fr hampeana var. acutiloba, arecae, alstonii var. pfliedereri, campanulata, ericoides, grandistipula, inflexa, muscicola, neurota, riojaneirensis, tamarisci subsp. obscura -]

Polish Botanical Journal, 58 (2), xx-xx [in Press]

[/ E] # 3867

Verma PK, Alam A & Rawat KK 2013

Assesment of liverwort and hornwort flora of Nilgiri hills, Western Ghats (India).

[as3: India (Nilgiri Hills) - Fr hampeana var. acutiloba, arecae, alstonii var. pfliedereri, campanulata, ericoides, grandistipula, inflexa, muscicola, neurota, riojaneirensis, tamarisci subsp. obscura -]

Polish Botanical Journal, 58 (2), 525-537

[/ E] # 4057

Visnadi SR 2013

Briófitas de áreas antrópicas do Parque Estadual da Serra do Mar, Núcleo Picinguaba, Ubatuba, estado de São Paulo, Brasil.

[am5: Brazil - Fr arecae, brasiliensis, caulisequa, kunzei, vitalii -]

Boletim do Museu Paraense Emílio Goeldi Ciências Naturais (Belém), 8 (1), 49-62

[/ E] # 3759

Von Konrat M, Lange P, de Larraín J, Hentschel J, Cartier B, Shaw J & Shaw B 2013

A small world: uncovering hidden diversity in *Frullania* - a new species from Aotearoa-New Zealand.

[aust2: New Zealand - Fr knightbridgei, pseudomeyeniana, rostrata, toropuku, truncatistyla -]

Polish Botanical Journal [In press], 58 (2), xx-xx

[/ E] # 3870

Waesch G & Preußing M 2013

Nationalpark Kellerwald-Edersee - Bedeutung der Baumartenvielfalt für Moosvorkommen.

[eur: Germany (Hessian State) - Fr tamarisciRed beech forest -]

AFZ DerWald, 1, 18-20

[/ E] # 3990

Wagner S, Zotz G, Allen NS & Bader MY 2013

Altitudinal changes in temperature responses of net photosynthesis and dark respiration in tropical bryophytes.

[80 am2: Panama - Fr mirabilis - Net photosynthesis, photosynthesis-response curves]

Annals of Botany, 111, 455-465

[/ E] # 3843

Wang D, Wang Y, Zuo Q, Li M, Wei Q, Li X & Zhao M / 汪岱华 王幼芳 左勤 李敏 魏倩倩 李晓芹 & 赵明水 2013

浙江西天目山30年来苔藓物种多样性变化 / Comparison of bryophyte diversity in West Tianmu Mountain from 1977 to 2011.

附录I 浙江西天目山苔藓植物名录(学名后标*者为本次研究发现的该保护区新分布种) / Appendix I checklist of Bryophytes in the West Tianmu Mountain, Zhejiang Province. * New species to the area.

[as2: China (Zhejiang) - Fr bolanderi, fuscovirens, moniliata, muscicola, parvistipula -]

Biodiversity Science, 21 (2), 170-176 & 3 pp. [Appendix]

[/ E] # 3656

Whittemore AT 2013

A preliminary checklist, with keys, of California liverworts and hornworts.

[am1: USA (California) - Fr bolanderi, californica, catalinae, franciscana, inflata, nisquallensis - Checklist, keys]

, , 55 pp.

[/ E] # 4080

ЭЗ Баишева 2013

К ФЛОРЕ МОХООБРАЗНЫХ ТЕМНОХВОЙНО-ШИРОКОЛИСТВЕННЫХ ЛЕСОВ ЮЖНОГО УРАЛА

-In: СОВРЕМЕННЫЕ КОНЦЕПЦИИ И МЕТОДЫ ЛЕСНОЙ ЭКОЛОГИИ Сборник материалов Первой Всероссийской школы-конференции по лесной экологии (Томск, 25–30 августа 2013 г.) /

[Russia - Fr bolanderi -]

-In: MODERN CONCEPTS AND METHODS OF FOREST ECOLOGY Proceedings of the First All-Russian Conference on Forest Ecology (Tomsk, 25-30 August 2013), , 4-6

[/ E] # 3829

2014**Andrejeva EN / Е Н Андреева 2014**

Новые и редкие виды мохообразных для Ленинградской области / New records and rare species of bryophytes from the Leningrad Region.

[Russia - Fr bolanderi -]

Novosti Sist. Nizsh. Rast. / Новости сист. низш. раст., 48, 339-350

[/ E] # 4115

Bakalin VA & Katagiri T 2014

The historic collection of liverworts from Sakhalin by Urbian Faurie (1846-1915) in herbarium of Kyoto./ ИСТОРИЧЕСКАЯ КОЛЛЕКЦИЯ ПЕЧЕНОЧНИКОВ С САХАЛИНА В ГЕРБАРИИ КИОТО, СОБРАННАЯ УРБЕНОМ ФОРИ (1846–1915)

[Russia (Sakhalin) - Fr bolanderi, muscicola, oakesiana -]

Arctoa, 23, 29-32

[/ E] # 4347

Bargali R, Awasthi V & Pande N 2014

Ecological study of bryophytes on *Platanus orientalis* L. trees in Nainital (Western Himalaya).

[as3: India - Fr muscicola -]

American Journal of Plant Sciences, 5, 3880-3888

[/ E] # 4019

Borovichev EA 2014

Checklist of liverworts of the Lapland State Nature Biosphere Reserve (Murmansk Province, Russia).

[Russia - Fr tamarisci -]

Folia Cryptog. Estonica, 51, 1-11

[/ E] # 4240

Calleja JA, Mingorance L, Sim-Sim M & Lara F 2014

Increase in the known distribution of some liverworts located in Iberian *Prunus lusitanica* L. Populations.

-In: Abstracts of the Scientific communications, Spanish Bryological Society, XXIV Bryological meeting.

[eur: Spain - Fr oakesiana -]

, ,

[/ E] # 4087

Campos LV, Gradstein R, Uribe-M J & Steege H ter 2014

Additions to the Catalogue of Hepaticae of Colombia II.

[am4: Colombia - Fr dulimensis -]

Cryptogamie, Bryologie, 35(1), 77-92

[/ E] # 3888

Chishiki M, Tamura E & Nishimura N 2014

岡山県自然保護センターのタイ類・ツノゴケ類 / Liverworts and Hornworts flora of Okayama Prefectural Nature Conservation Center.

[as2: Japan - Fr parvistipula, pedicellata -]

Bull. Okayama Pref. Nature Conservation Center / 岡山県自然保護センター研究報告, 21, 15-19

[/ E] # 4124

Dias dos Santos N, Pinheiro da Costa D, Kinoshita LS & Shepherd GJ 2014

Windborne: Can liverworts be used as indicators of altitudinal gradient in the Brazilian Atlantic Forest?

[am5: Brazil - Fr atrata, ecklonii, montagnei, supradecomposita -]

Ecological Indicators, 36, 431-440

[/ E] # 3885

Dibble AC 2014

Vascular flora of the Penobscot Experimental forest, with provisional list of lichens and bryophytes.

-In: Kenefic, L.S. & Brissette, J.C. [comps.] Penobscot Experimental Forest: 60 years of research and demonstration in Maine, 1950-2010.

[- Fr bolanderi, tamarisci ssp. asagrayana -]

Gen. Tech. Rep. NRS-P-123. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northern Research Station, , 103-137

[/ E] # 3898

Elli LT, Aleffi M, Tacchi R & alii 2014

Bryological Notes, New national and regional bryophyte records, 41. 41

[- Fr sinensia -]

Journal of Bryology, 36 (4), 306-324

[/ E] # 3996

Feldberg K, Schneider H, Sradler T, Schäfer-Verwimp A, Schmidt AR & Heinrichs J 2014

Epiphytic leafy liverworts diversified in angiosperm-dominated forests. - Supplementary Information

[- *Fr atrata*, *berthoumieuii*, *cretacea*, *depressa*, *dilatata*, *ecklonii*, *glomerata*, *gracilis*, *nodulosa*, *obcordata*, *patula*, *ptychantha*, *reflexistipula*, *tamarisci*, - Biogeography, Biodiversity, Phylogenetics]

Scientific Reports - Supplementary Information

<http://www.nature.com/srep/2014/140807/srep05974/extref/srep05974-s1.pdf>, , 1-43

[/ E] # 3993

Feldberg K, Schneider H, Sradler T, Schäfer-Verwimp A, Schmidt AR & Heinrichs J 2014

Epiphytic leafy liverworts diversified in angiosperm-dominated forests.

[- Frullaniaceae - Frullaniaceae - Biogeography, Biodiversity, Phylogenetics]

Scientific Reports, 4: 2014 pg 5974, 1-6

[/ E] # 3992

Fuertes E & Prada C 2014

New record and additions to the Argentinean bryophyte flora.

[am6: Argentina - *Fr brasiliensis* -]

Darwiniana, nueva serie, 2 (1), 68-73

[/ E] # 4032

Fuertes E & Prada C 2014

New record and additions to the Argentinean bryophyt flora

[am6: Argentina - *Fr brasiliensis*, *atrata*, *intumescens* - distribution, key]

Darwinia, nueva serie, 2 (1), 68-73

[/ E] # 4045

Gradstein S R & Ziemmeck F 2014

CDF Checklist of Galapagos Horn- & Liverworts - FCD Lista de especies de Antocerotes y Hepáticas Galápagos.

-In: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzcátegui, G., Ruiz, D., Guézou, A. & Ziemmeck, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin

[am4: Galapagos [Ecuador] - *Fr aculeata*, *arecae*, *brasiliensis*, *caulisequa*, *convoluta*, *darwinii*, *ericoides*, *gibbosa*, *gradsteinii*, *involuta*, *kunzei*, *laxiflora*, *peruviana*, *phalangiflora*, *riojaneirensis* -]

<http://www.darwinfoundation.org/datazone/checklists/bryophytes/anthocerotophyta-hepatophyta/> Last

updated: 28 Jan 2014 Charles Darwin Foundation / Fundación Charles Darwin,, Puerto Ayora, Galapagos,

[/ E] # 4043

Hassel K, Appelgren L, Blom HH, Flynn KM, Gaarder G, Heegaard E, Høitomt T, Jordal JB, Lima M, Söderström L & Wangen K 2014

Colura calyptrifolia a new oceanic liverwort to Norway and Scandinavia.

[- *Fr jackii*, *fragilifolia* -]

Lindbergia, 37, 1-5

[/ E] # 3884

Higgins KL & Yasué M 2014

Monitoring liverworts to evaluate the effectiveness of hydroriparian buffers. This checklist documents 123 taxa from within the park's boundaries (103 mosses, 18 hepatics and 2 hornworts)

[- *Fr nisquallensis* -]

Environmental Management, 53 (1), 112-119

[/ E] # 3894

Holmberg NJ & Atwood JJ 2014

Bryophytes of Taum Sauk Mountain State Park

[- -]

Evansia, 31 (1), 8-16

[/] # 3895

Hugonnot V & Pépin F 2014

Perrier site (Puy-de-Dôme, Auvergne, France) and the conservation of troglodytic bryophytes.

[eur: France - Fr dilatata -]

FieldBryology, 112, 30-37

[/ E] # 4192

Kruse DA & Davison PG 2014

The Bryophyte Flora of the Big Thicket National Preserve: Hardin, Tyler, and Polk Counties, Texas. [Final report]

[USA (Texas) - Fr brittoniae, eboracensis, inflata, kunzei, obcordata, squarrosa -]

http://www.thicketofdiversity.org/static/media/uploads/TOD%20Files/TOD%20Docs/wnpa_grant_funding_summary_statement.pdf [downloaded 9.4.2014], , 9 pp.

[/ E] # 2285

Kumar S, Kumari R & Sharma V 2014

Genetics of dioecy and causal sex chromosomes in plants. [Review article]

[- Fr dilatata - Chromosomes]

Journal of Genetics, 93 (1), 37 pp.

[/ E] # 3907

Kushnevskaia EV & Potemkin AD 2014

The liverworts of the eastern Leningrad region.

[Russia - Fr dilatata, oakesiana -]

, 99, 23-34

[/ E] # 3889

Leclerc S 2014

Liste des bryophytes du Québec et du Labrador.

[am1: Canada (Quebec, Labrador) - Fr asagrayana, bolanderi, eboracensis, inflata var communis, oakesiana, riparia, selwyniana -]

Carnets de bryologie, 7, 1-12

[/ E] # 3986

León CA & Oliván G 2014

Liverworts of peatlands and *Tepualia stipularis* (Hook. & Arn.) Griseb. swamp forests in Isla Grande Chiloe (Chile): key for identification.

[am6: Chile (Chiloe) - Fr boveana - Identification key]

Caldasia, 36 (1), 23-35

[/ E] # 4053

León CA, Oliván G, Larraín J, Vargas R & Fuerte E 2014

Bryophytes and lichens in peatlands and *Tepualia stipularis* swamp forests of Isla Grande de Chiloe (Chile).

[am6: Chile - Fr cf. boveana -]

Anales del Jardín Botánico de Madrid, 71 (1), 27-35

[/ E] # 4369

Li R-J et alii 2014

Two new cadinane-type sesquiterpenes from the Chinese liverwort *Frullania serrata*.

[- *Fr serrata* - Cadinane-type sesquiterpenes]

Natural Product Research - Jun 27:1-6. [Epub ahead of print], ,

[/] # 3971

Li R-J et alii 2014

Two new cadinane-type sesquiterpenes from the Chinese liverwort *Frullania serrata*. Supplementary material.

[- *Fr serrata* - Cadinane-type sesquiterpene]

http://s3-eu-west-1.amazonaws.com/files.figshare.com/1569263/gnpl_a_909416_sm5040.doc [downloaded 3.8.2014], ,

[/ E] # 3969

Li R-J et alii 2014

Two new cadinane-type sesquiterpenes from the Chinese liverwort *Frullania serrata*.

[China - *Fr serrata* - Cadinane-type sesquiterpene]

Natural Product Research, 28 (19), 1519-1524

[/] # 4064

Li X-N, Long M-Z, Liu Y & Liu Y-Y 2014

附录: 贵州施秉喀斯特世界自然遗产提名地苔藓植物名录 / Appendix: Shibing Guizhou Karst World Natural Heritage nomination - Bryophytes

[as2: China - *Fr berthoumieui* -]

, , 9-19

[/ E] # 3952

Li X-N, Long M-Z, Liu Y & Liu Y-Y / 李晓娜 龙明忠 刘洋 & 陆亚 2014

贵州施秉喀斯特世界自然遗产提名地苔藓植物区系特征 / Bryoflora characteristics of Shibing Karst World Natural Heritage nominated property in Guizhou.

[as2: China - - Frullaniaceae]

Plant Diversity and Resources / 植物分类与资源学报, 36 (3), 271-278

[/ E] # 3950

Long DG & Rubasinghe SCK 2014

Liverworts and Hornworts of Sri Lanka: a revised checklist.

[as3: Sri Lanka - *Fr acutiloba*, *alstonii*, *apiculata*, *apiculata* var *goebelii*, *arecae*, *brotheri*, *campanulata*, *capilliformis*, *claviloba*, *ericoides*, *gaudichaudii*, *gracilis*, *grandistipula*, *rugosa*, *hottana*, *hypoleuca*, *intermedia*, *meyeniana*, *microauriculata*, *microauriculata* var *rotundior*, *moniliata*, *monocera*, *monocera* var *schiffneri*, *neurota*, *nodulosa*, *orientalis*, *polyptera*, *polyptera* var *angustata*, *ramuligera*, *riojaneirensis*, *serrata*, *serrata* for *crispulodentata*, *ternatensis*, *trichodes* - Checklist]

Ceylon Journal of Science (Biological Sciences), 43 (1), 1-36

[/ E] # 3994

Lubaina AS, Pradeep DP, Aswathy JM, Remya Krishnan, Meenu Krishnan VG & Murugan K 2014

Traditional knowledge of medicinal bryophytes by the Kani tribes of Agasthiyarmalai biosphere reserve, Southern western Ghats

[as3: India - *Fr acutiloba* - Medicinal bryophytes]

Indo American Journal of Pharmaceutical Research, 4 (4), 2116-2121

[/ E] # 4054

Lye KA 2014

Ecology and distribution of *Frullania bolanderi* in Europe.

[eur - Fr bolanderi -]

Lindbergia, 37, 6-21

[/ E] # 3929

Mamontov YS & Tsegmed T / ЮРИЙ С МАМОНТОВ ЦОГИЙН ЦЭГМЭД 2014

Contribution to the hepatic flora of Mongolia 3 / ДОПОЛНЕНИЕ К ФЛОРЕ ПЕЧЕНОЧНИКОВ МОНГОЛИИ. 3.

[as2: Mongolia - Fr inflata, parvistipula, sinensis -]

Arctoa, 23, 207-211

[/ E] # 4051

Marques J, Hespanhol H, Paz-Bermúdez G & Almeida R 2014

Choosing between sides in the battle for pioneer colonization of schist in the Côa Valley Archaeological Park: a community ecology perspective.

[eur: Portugal - Fr dilatata -]

Journal of Archaeological Science, 45, 196-206

[/ E] # 4059

Marques J, Hespanhol H, Paz-Bermúdez G & Almeida R 2014

Choosing between sides in the battle for pioneer colonization of schist in the Côa Valley Archaeological Park: a community ecology perspective.

[eur: Portugal - Fr dilatata -]

Journal of Archaeological Science, 45, 196-206

[/ E] # 3891

Medina NG, Albertos B, Lara F, Mazimpaka V, Garillete R, Draper I & Hortal J 2014

Species richness of epiphytic bryophytes: drivers across scales on the edge of the Mediterranean.

[eur: Spain - Fr fragilifolia, tamarisci -]

Ecography, 37, 80-93

[/ E] # 3893

Muchura HM, Chua MS, Mworio JK & Gichuki NN 2014

Role of bryophytes and tree canopy in mist trapping in Mt. Marsabit Forest.

[25 afr2: Kenya - Fr angulata -]

Journal of Environment and Earth Science, 4 (21), 128-138

[/ E] # 4026

NN 2014

三重県レッドリスト（2014年版）[蘚苔類] / Mie Prefecture Red List (2014 edition) [bryophytes]

[as2: Japan - Fr meyeniana -]

www.pref.mie.lg.jp/MIDORI/.../5-15list-moss.pdf, ,

[/ E] # 3967

NN 2014

La base de données des bryophytes du Québec-Labrador : espèces rares du Québec. [Version : 27 juillet 2014]

[am1: Canada (Quebec, Labrador) - Fr inflata var communis, riparia, selwyniana -]

http://www.societequebecoisedebryologie.org/bryoquel_docs/BRYOQUEL_Listes_des_rares.pdf [downloaded 3.8.2014], ,

[/ E] # 3980

NN 2014

La base de données des bryophytes du Québec-Labrador : liste des espèces. [Version : 27 juillet 2014]

[am1: Canada (Quebec, Labrador) - Fr asagrayana, bolanderi, eboracensis, inflata var communis, oakesiana, riparia, selwyniana -]

http://www.societequebecoisedebryologie.org/bryoquel_docs/BRYOQUEL_Liste_des_bryophytes_Qc_Labr.pdf [downloaded 3.8.2014], ,

[/ E] # 3987

NN 2014

Eravikulam National Park. Checklist of bryophytes (Mosses & liverworts)

[as3: India - Fr tamarisci -]

, ,

[/ E] # 4038

Oliveira HC de & Bastos CJP 2014

Briófitas epífitas de fragmentos de Floresta Atlântica da Reserva Ecológica Michelin, Estado da Bahia, Brasil.

[am5: Brazil - Fr apiculata, atrata, caulisequa, kunzei -]

Hoehnea, 41 (4), 631-646

[/ E] # 4039

Pentecost A 2014

The cryptogamic epiphytes of ash (*Fraxinus excelsior* L.) in an ancient pasture-woodland: relationships with some environmental variables of relevance to woodland epiphyte management.

[eur: England - Fr dilatata -]

Cryptogamie, Bryologie, 35 (1), 19-36

[/ E] # 3899

Pereira I, Müller F & Moya M 2014

Influence of *Nothofagus* bark pH on the lichen and bryophytes richness, Central Chile.

[am6: Chile - Fr spec, cf. magellanica -]

Gayana Botanica, 71(1), 120-130

[/ E] # 4030

Pérez-Vargas I, Hernández Padrón C & Losada-Lima A 2014

Moelleropsis nebulosa subsp. *frullaniae* (Pannariaceae), a disjunct and poorly known lichen, new to Macaronesia.

[- - Pannariaceae on Frullania]

Herzogia, 27 (2), 409-412

[/] # 4048

Pócs T, Mohamed H, Yong k-T & Cheah Y-H 2014

Data to the Malaysian liverwort flora I.

[as4: Malaysia - Fr subocellata, trichodes -]

Polish Botanical Journal, 59 (2), 215-220

[/ E] # 4136

Porley D, Hodgetts N & Rickerby C 2014

St Kilda revisited: bryophytes on the edge of the world.

[eur: St. Kilda (Hebrides) - Fr fragilifolia, tamarisci, teneriffae -]

FieldBryology, 111, 8-22

[/ E] # 4041

Rawat KK & Verma PV 2014

On a collection of liverworts from Tawang, Arunachal Pradesh, India with *Frullania rhystocolea* Herzog new to India.

[as3: India (Arunachal Pradesh) - Fr neurota, rhystocolea -]

Frahmia, 8, 1-7

[/ E] # 4227

Ren Z-J, Zhong B Guo M-M, Fu X & Zhao Z-T / 任昭杰 李林 钟蓓 郭萌萌 付旭 & 赵遵田 2014

山东昆崙山苔蘚植物多样性及区系特征

Bryophyte Diversity and floristic characteristics of Mountain Kunyu, Shandong, China.

[as2: China - Fr muscicola, parvistipula, inflexa -]

Plant Science Journal, 32 (4), 340-354

[/ E] # 4512

Roberts D 2014

Nant Carreg Hydd small hydro – Scheme Information.

[- Fr dilatata, fragilifolia, tamarisci -]

http://planning.snowdonia-npa.gov.uk/swiftlg_snpa/MediaTemp/13139-32618.pdf [downloaded 9.4.2014], , 28 pp.

[/ E] # 3887

Sahu V & Asthana AK 2014

Diversity of liverworts and hornworts in Pithoragarh and its neighbouring areas, Western Himalaya of India.

[as3: India (Western Himalaya) - Fr neurota, campanulata -]

The Indian Forester, 140 (4), 389-394

[/ /] # 3923

Sandhya Rani S, Sowghandika M, Nagesh KS, Susheela B & Pullaiah T 2014

Bryophytes of Andhra Pradesh

[India (Andhra Pradesh) - Fr calcarata, udarii -]

Bishen Singh Mahendra Pal Singh, Dehradun, 279 pp.

[/ /] # 4563

Sathish SS, Thamizharasi T, Palani R, Vijayakanth P & Vimala A 2014

Checklist of mosses (Bryopsida) of the Kalrayan Hills in the Eastern Ghats of Tamil Nadu, India.

[as3: India (Tamil Nadu, Eastern Ghats) - Fr gaudichaudii -]

International Journal of Research in Engineering and Bioscience, 2 (1), 28-33

[/ E] # 3890

Schäfer-Verwimp A 2014

Towards a more complete knowledge of the liverwort flora of Panama.

[80 am2: Panama - Fr caulisequa, cuencensis, dusenii, ericoides, gibbosa, involuta, kunzei, macrocephala, mirabilis, obscura, peruviana, phalangiflora, pittieri, setigera, spiniloba -]

Phytotaxa, 172 (3), 201-234

[/ E] # 3977

Schuette S & Krayesky DM 2014

A list of bryophytes for Wayne County, Pennsylvania.

[am1: USA (Pennsylvania) - Fr eboracensis -]

Evansia, 31 (1), 25-30

[/ /] # 3892

Shaw AJ 2014

The impact of molecular data on our understanding of the bryophyte flora of North America.

[am1: USA - Fr asagrayana -]

Flora of North America North of Mexico, 28, 3-13

[/ E] # 4081

Simijaca D & Vargas L 2014

Briofitos y Líquenes de Bosques Altoandinos Colombianos. Hepáticas y Líquenes de Tipacoque-Boyacá

The Field Museum, Identification Tools, Guides - Cryptogams, Guide # 611

[am4: Colombia - Fr bogotensis -]

<http://idtools.fieldmuseum.org/guides/guide/611>, ,

[/ E] # 3941

Simijaca-Salcedo DF & Morales-Puents ME 2014

Uso de organismos vegetales non vasculares como indicadores de contaminación atmosférica urbana

(Tunja, Boyacá, Colombia). / Use of non vascular plant organisms as indicators of urban air pollution

(Tunja, Boyacá, Colombiano)

[am4: Colombia - Fr spec. - Air pollution]

Acta Biológica Colombiana, 19 (2), 221-232

[/ E] # 3984

Söderström L, Hagborg A & Von Konrat M 2014

Early Land Plants Today: Index of Liverworts & Hornworts 2011-2012.

[- Fr baerlocheri, curvilobula, evelynae var. devendrae, evelynae var. srivastavae, knightbridgei, larjiana var. didyhatii, mizoramensis, ornithocephala var. magnilobula, ornithocephala var. retusa, parhamii, serrata var. crispulodentata, truncatistyla, ucrainica - Index, nomenclature]

Phytotaxa, 170 (2), 61-85

[/ E] # 4111

Sofronova EV, Mamontov YS & Potemkin AD / Софронова ЕВ МамонтовЮС & Потемкин АД 2014

Frullania ignatovii (Porellales, Marchantiophyta), a new species from Siberia / Frullania ignatovii (Porellales, Marchantiophyta) — новый вид из Сибири

[Russia (Yakutia, Baikal Siberia) - Fr ignatovii -]

http://binran.ru/files/journals/NSNR_Example_Manuscript.pdf, ,

[/ E] # 3883

Sukkharak P & Chantanaorrapint S 2014

Bryophyte Studies in Thailand: Past, Present, and Future.

[as3: Thailand - - Bryophytes, hornworts, liverworts, mosses, Thailand]

Cryptogamie, Bryologie, 35 (1), 5-17

[/ E] # 3886

Sukkharak P, Kitlap P Likananonn A & He S 2014

A preliminary study of bryophytes in the Khao Soi Dao wildlife sanctuary, Chanthaburi Province, Thailand.

[as3: Thailand - Fr alstonii, ericoides, meyeniana, serrata, vethii -]

Songklanakarin Journal of Science and Technology, 36 (5), 527-534

[/ E] # 4036

Trull SJ & Shackelford IK 2014

Regional forester's sensitive plants of the Ottawa National Forest. A summary of their life history, habitats, and status for reference in preparing biological evaluations and other analyses

[am1: Canada (Ottawa) - Fr selwyniana -]

http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprd3791430.pdf USDA Forest Service, Ottawa National Forest, ,

[/ E] # 3939

Vargas-Rojas DL & Morales-Puentes ME 2014

Hepáticas del Parque Natural Municipal “Robledales de Tipacoque”, Boyacá-Colombia.

[am4: Colombia - Fr spec. -]

Universitas Scientiarum, 19 (3) 201-211,

[/ E] # 3965

Vilnet AA, Borovich AA & Bakalin VA 2014

Frullania subarctica - a new species of the Frullania tamarisci complex (Frullaniaceae, Marchantiophyta).

[- Fr subarctica - Systematics, DNA taxonomy, Frullania tamarisci complex]

Phytotaxa, 173 (1), 61-72

[/ E] # 3962

von Konrat M 2014

Connecting biodiversity research and collections with education and outreach through citizen science.

Presentation BSA Idaho July 29 2014

[- Fr incumbens, probosciphora, rostellata, - Microplants - Collection connection]

, ,

[/ E] # 4089

Walton JK, Hutten M & Torigoe SK 2014

Inventory of the mosses, liverworts, and lichens of Kenai Fjords National Park, Alaska.

Natural Resource Data Series Report NPS/SWAN/NRDS—2014/635

[am1: USA (Alaska) - Fr nisquallensis -]

U.S. Department of the Interior, National Park Service, Natural Resource Stewardship and Science, Fort Collins, Colorado, 48 pp.

[/ E] # 3937

Yano O & Luizi-Ponzo AP 2014

Adições à Brioflora do Parque Estadual do Ibitipoca, Minas Gerais, Brasil

[am5: Brazil - Fr arecae, atrata, beyrichiana, brasiliensis, caulisequa, glomerata, gymnotis, neesii, riojaneirensis -]

Revista de Biologia Neotropical, 11 (2), 71-96

[/ E] # 4269

2015

2015

Mechorosty zaznamenané v průběhu terénních bryologických kurzů Jihočeské Univerzity na Šumavě v roce 2014 - Bryophytes recorded during the field bryological courses of the University of South Bohemia in the Šumava Mts in 2014.

[eur: Czech Republic - Fr dilatata -]

Bryonora, 56, 88-101

[/ E] # 4330

Ahayoun K, Chliyeh M, Quazzani, Touhami A, Benkirane R & Douira A 2015

Contribution to the inventory of Bryophytes of the Mamora's forest (Atlantic Morocco).

[20 afr1: Morocco - Fr dilatata -]

Biolife, 3 (1), 336-341

[/ E] # 4070

Alam A, Shrama V, Rawat KK & Verma PK 2015

Bryophytes - The Ignored Medicinal Plants

[- Fr tamarisci -]

SMU Medical Journal,, 2 (1), 299-316

[/ E] # 4024

Alegro A, Šegota V & Papp B 2015

A contribution to the bryophyte fl ora of Croatia IV. Žumberačka gora Mts.

[eur: Croatia - Fr dilatata -]

Studia bot. hung, 46 (1), 5-24

[/ E] # 4116

Alegro A, Papp B, Szurdoki E, Šegota V, Šapic I & Vukelic J 2015

A contribution to the bryophyte fl ora of Croatia III. Plitvička Jereza National Park and adjacent areas.

[eur: Croatia - Fr dilatata, tamarisci -]

Studia bot. hung, 45, 49-65

[/ E] # 4182

Batab N, Özdemir T & Alatas M 2015

Additional bryophyte records from Gümüşhane province in Turkey.

[as5: Turkey - Fr dilatata tamarisci -]

Botanica Serbica, 39 (1), 63-70

[/ E] # 4056

Blackstock TH 2015

Sex expression and sporophyte frequency in *Frullania tamarisci* (L.) Dumort.

[- Fr tamarisci -]

Journal of Bryology, 37 (3), 202-208

[/ E] # 4222

Blackstock TH 2015

Sex expression and sporophyte frequency in *Frullania tamarisci* (L.) Dumort.

[- Fr tamarisci -]

Journal of Bryology, 37 (3), 201-208

[/ E] # 4131

Blisard KS & Kleinman R 2015

A checklist of the Liverworts of New Mexico and a preliminary assessment of the liverworts of the Gila National Forest.

[am1: USA (New Mexico) - Fr brittoniae, eboracensis, inflata, pluricarinata, riparia -]

The New Mexico Botanist, Special Issue, 4, 21-27

[/ E] # 4091

Borovichev EA & Vilnet AA 2015

Recently resurrected for European liverwort flora – *Frullania calcarifera* Steph., new addition for the Crimean Peninsula.

[- Fr appendiculata, calcarifera, tamarisci -]

Folia Cryptog. Estonica, 52, 1-6

[/ E] # 4101

Castillo Castro JA 2015

Variación de comunidades de briofitas a lo largo de un gradiente altitudinal en el norte de la Cordillera Oriental Ecuatoriana.

Thesis Disertación - Pontificia Universidad Católica del Ecuador

[am4: Ecuador - Frullania -]

, Quito, 55 pp.

[/ E] # 4122

Costa DP, Santos ND, Rezende MA, Buck WR & Schäfer-Verwimp A 2015

Bryoflora of the Itatiaia National Park along an elevation gradient: diversity and conservation.

[am5: Brazil - -]

Biodivers Conserv, , 14

[/ E] # 4113

de Lange PJ 2015

The flora and vegetation of L'Esperance Rock, southern Kermadec Islands

[aust2: New Zealand (Kermadec Islands) - Fr pentapleura -]

Bulletin of the Auckland Institute and Museum, 20, 231-242

[/ E] # 4439

Fudali E & Wolski GJ 2015

Ecological diversity of bryophytes on tree trunks in protected forests (A case study from Central Poland)

[eur: Poland - Fr dilatata -]

Herzogia, 28 (1), 87-103

[/ E] # 4484

Gradstein SR & Cuvertino J 2015

Observations on the liverwort flora of the surroundings of Santiago, Central Chile.

[am6: Chile - Fr pluricarinata - Taxonomy]

Cryptogamie Bryologie, 36 (2), 129-141

[/] # 4073

Haerida I 2015

The genus *frullania* (Hepaticae, Frullaniaceae) in Bali.

[as4: Indonesia (Bali) - Fr gaudichaudii, gracilis, junghuhniana, meyeniana, moniliata, ornithocephala, ternatensis -]

Floribunda, 5 (2), 71-73

[/ E] # 4229

Harris S, Ziegler K & Dell M 2015

The vegetation and flora of Strzelecki National Park, Flinders Island, Tasmania.

[aust1: Tasmania - Fr clavata, deplanata, falciloba, monocera, probosciphora, rostrata -]

Cunninghamia, 15, 173-184

[/ E] # 4187

Hentschel J, von Konrat M, Söderström L, Hagborg A, Larraín J, Sukkharak, P Uribe J & Zhang L 2015

Notes on Early Land Plants Today. 72. Infrageneric classification and new combinations, new names, new synonyms in Frullania (Marchantiophyta).

[- Frullaniaceae - Classification, synonyms]

Phytotaxa, 220 (2), 127-142

[/ E] # 4097

Hofmann H & Müller N 2015

Erfolgreiche Ansiedlung zweier Moosarten [Poster, Abstract]

Tagung: Ex situ conservation and reintroduction of endangered plant species - 21. und 22. Januar 2015, Bern, Schweiz

[eur: Switzerland - Fr parvistipula -]

, ,

[/ E] # 4055

Karaburun P, Uyar G, Özcelik AD & Ören M 2015

The bryophyte flora of Upper Gerede Valley (Bolu-Turkey).

[as5: Turkey - Fr dilatata -]

Anatolian Bryology, 1 (1), 1-9

[/ E] # 4201

Kellman K 2015

County Lists of Hornworts and Liverworts for California.

[am1: USA (California) - Fr bolanderi, californica, catalinae, franciscana, nisquallensis -]

, , 1-80

[/ E] # 4234

Khotimperwati L, Rahadian R & Baskoro K 2015

Perbandingan komposisi tumbuhan lumut epifit pada hutan alam dan pemanfaatan hutan di sepanjang gradien ketinggian Gunung Ungaran, Jawa Tengah.

[as4: Indonesia (Java) - Fr duthiana, riojaneirensis -]

Bioma, 17 (2), 83-93

[/ E] # 4138

Kleinman R, Blisard KS & Allred KW 2015

A bryophyte inventory of the Gila National Forest: An initial assessment

[am1: USA (New Mexico) - Fr inflata, riparia -]

The New Mexico Botanist, Special Issue, 4, 70-76

[/ E] # 4092

Lalhriatpuia & Laha R 2015

Bryophyte diversity in Mamit district, Mizoram, northeast India.

[as3: India (Mizoram) - Fr acutiloba, tamarisci, ericoides, neurota, retusa -]

International Journal of Pharma and Bio Sciences, 6 (4) (B), 1204-1209

[/ E] # 4137

Lalhriatpuia & Ramachandra L 2015

Bryophyte diversity in Mamit district, Mizoram, Northeast India.

[as3: India (Mizoram) - Fr acutiloba, tamarisci, ericoides, neurota, retusa -]

International Journal of Pharma and Bio Sciences, 6 (4) B, 1204-1209

[/ E] # 4108

Lange PJ de, Glenny D, Braggins J, Renner M, von Konrat M, Engel J, Catherine Reeb C & Rolfe J 2015

Conservation status of New Zealand hornworts and liverworts, 2014.

[aust2: New Zealand - -]

New Zealand threat classification series Publishing Team, Department of Conservation, 11 Wellington, 1-31

[/ E] # 4103

Larraín J, Carter B, Shaw, Hentschel J & Von Konrat M 2015

Towards a monograph of Frullania subgen. Microfrullania: the taxonomy of Frullania magellanica.

[- Fr fertilis, magellanica, rostrata -]

International Association of Bryologists (IAB) Conference 2015 Omora Ethnobotanical Park - Universidad de Magallanes, Puerto Williams, Chile, 11

[/ E] # 4034

Larraín J, Carter B, Shaw, Hentschel J, Strozier LS, Furuki T, Heinrichs J, Crandall-Stotler B, Engel J & von Konrat M 2015

The resurrection of Neohattoria Kamim. (Jubulaceae, Marchantiophyta): a six decade systematic conflict resolved through a molecular perspective.

[- Fr herzogii - Neohattoria]

PhytoKeys, 50, 101-122

[/ E] # 4098

Mamontov YS, Heinrichs J, Schäfer-Verwimp A, Ignatov MS & Perkovsky EE 2015

Hepatics from Rovno amber (Ukraine), 4. Frullania riclefgrollei, sp. nov.

[- Fr riclefgrollei - Fossil, amber]

Review of Palaeobotany and Palynology, In Press,

[/ E] # 4102

Manju CN, Rajilesh VK, Prajitha B, Prakashkumar R & Rajesh KP 2015

Contribution to the bryophyte flora of India: Silent Valley National Park in the Western Ghats, India.

[as3: India (Kerala) - Fr acutiloba, tamarisci ssp obscura -]

Acta Biologica Plantarium Agriensis, 3, 73-98

[/ E] # 4191

Meagher D [chair of Threatened Bryophytes Advisory Group] 2015

Proposed Red List of threatened bryophytes in Australia: extinct species (EX, EW, RE)

[aust1: Australia - Fr crispata, hamaticoma - Extinct species]

Australasian Bryological Newsletter, 65, 17-19

[/ E] # 4052

Moffet BF 2015

Ice nucleation in mosses and liverworts.

[- Fr tamarisci -]

Lindbergia, 38, 14-16

[/ E] # 4120

Müller F, Pócs T & Shevock JR 2015

Additions to the liverwort and hornwort flora of São Tomé and Príncipe II, with Neurolejeunea, a genus new to Afrika

[am3: São Tomé and Príncipe - Fr apicalis, depressa, obscurifolia -]

Herzogia, 28 (1), 50-69

[/ E] # 4612

NN 2015

Mosses and Liverworts recorded in Earlham Cemetery, Norwich.

[eur: United Kingdom - Fr dilatata -]

, ,
[/ E] # 4069

NN 2015

Proposed red list of threatened bryophytes in Australia: extinct species (EX, EW, RE)

[aust1: Australia - Fr crispata, hamaticoma - Red list]

Australasian Bryological Newsletter, 65, 17-19

[/ E] # 4123

NN [Société québécoise de bryologie] 2015

Bryophytes du Parc national du Bic et de ses environs (MRC Rimouski-Neigette, Québec, Canada)
Version du 29 novembre 2015.

[am1: Canada (Québec) - Fr asagrayana, eboracensis, oakesiana -]

Lepagea, 2, 1-6

[/ E] # 4139

Oba H 2015

ヒマラヤ植物の研究—その歩みと成果

Research on Himalayan plants - its progress and achievements

[- Fr bhutanensis, duthiana var appendiculata, duthiana var laevis, rhystocolea var parva -]

umdb.um.u-tokyo.ac.jp/DPastExh/Publish_db/1997Expedition/05/050300.html, ,

[/ E] # 4475

Oishi Y & Tabata K 2015

The importance of large trees in Shrine Forests for the conservation of epiphytic bryophytes in urban areas.

-In: Lo, Y.H., Blanco, J.A. & Roy, S [Ed.] Biodiversity in Ecosystems - Linking Structure and Function - Chapter 18

[as2: Japan - Fr diversitexta, ericoides, muscicola, parvistipula -]

InTech, , 457-473

[/ E] # 4074

Paiva J 2015

Darwin, plants and Portugal

-In: Pereira, A.L., Pita, J.R. & Fonseca, P.R. [Ed.] - Darwin, Evolution, Evolutionisms

[- Fr darwinii - Plants dedicated to Darwin]

Imprensa da Universidade de Coimbra, , 39-52

[/ E] # 4076

Pereira CG 2015

Brioflora da Ilha de Fernando de Noronha, Brasil.

Thesis Dissertação - Universidade de Brasília, Instituto de Ciências Biológicas, Departamento de Botânica

[am5: Brazil - Fr ericoides -]

, , 53 pp.

[/ E] # 4121

Plášek V 2015

Bryophytes of the Čantoria National Nature Reserve (Moravskoslezské Beskydy Mts., Czech Republic).

[eur: Czech Republic - Fr dilatata -]

Acta Mus. Siles. Sci. Natur, 64, 191-192

[/ E] # 2495

Pócs T & Váňa J 2015

East African bryophytes XXX. New liverwort and hornwort records.

[29 afr3: Seychelles - Fr gabonensis -]

Acta Biologica Plantarum Agriensis, 3, 3-21

[/ E] # 4247

Potemkin AD, Hentschel J, Sofronova EV & Mamontov YS 2015

Frullania dorsimamillosa, a unique new species from Central China and the resurrection of Frullania chinlingensis (Frullaniaceae, Marchantiophyta).

[- Fr chinlingensis, dorsimamillosa -]

Phytotaxa, 227 (1), 1-12

[/ E] # 4100

Pressel S & Duckett JG 2015

Clean Air and Climate Change: London's Increasing Bryophyte Biodiversity.

[Power point presentation]

[Great Britain - Fr dilatata - City ecology]

Natural History Museum, La Serena, 55 pp.

[/ E] # 2965

Rawat KK, Verma PK & Alam A 2015

Nomenclatural updates in Kashyap's 'Liverwort flora of western Himalayas and Panjab Plains'

[as3: India - Fr duthiana, ericoides, gollanii, gracillima, grevilleana, himalayensis, muscicola, nepalensis, polyptera, pyriflora, retusa, squarrosa -]

Plant Science Today, 2 (4), 179-183

[/ E] # 4266

Ristow R, Schäfer-Verwimp A & Peralta DF 2015

New records of bryophytes for the state of Paraná, Brazil.

[am5: Brazil - Fr kunzei, lindmanii, vitalii -]

Pesquisas, Botanica, 67, 65-80

[/ E] # 4112

Ruas S, Bergamini A, Carvalho P, Fontinha S & Sim-Sim M 2015

The community structure of bryophytes and macrolichens in Madeira's natural forest: the effects of environmental variables and relations to old-growth forests.

[21 afr1: Madeira - Fr azorica, dilatata, microphylla, polysticta, tamarisci, teneriffae -]

Nova Hedwigia, 100 (3-4),

[/ E] # 4125

Schuette S 2015

Potential bryophyte and lichen indicators of forest integrity in North Central Pennsylvania.

Technical Report

[am1: USA (Pennsylvania) - Fr eboracensis -]

, , 1-32

[/ E] # 4259

Sim-Sim M, Lopes T, Ruas S & Stech M 2015

Does altitude shape molecular diversity and richness of bryophytes in Madeira's natural forest? A case study with four bryophyte species at two altitudinal levels.

[21 afr1: Madeira [Portugal] - Fr polysticta -]

Plant Ecology and Evolution, 148 (2), 171-180

[/ E] # 4145

Singh DK & Singh SK 2015

Manual of Liverworts & Hornworts of Himachal Pradesh, India

[India (Himachal Pradesh) - Fr dilatata, duthiana, ericoides, larjiana, muscicola, parhari, ptychota, retusa - Key]

Abhimanyu Gahlot for Bishen Singh Mahendra Pal Singh, Dehra Dun, 205 pp.

[P /] # 4568

Souto M, Castro D, Pancotto V & Fraga MI 2015

Liverworts of Sphagnum magellanicum Brid. raised bogs from Tierra del Fuego National Park, Ushuaia Argentina

[- -]

Journal of Bryology, 37 (2), 104-111

[/] # 4400

Stebel A & Paciorek T 2015

7. Frullania tamarisci (L.) Dumort. New distributional data on bryophytes of Poland, 2.

[eur: Poland - Fr tamarisci -]

Steciana, 19 (29), 57-58

[/ E] # 4119

Tamura E, Michimori M & Oishi Y 2015

A preliminary list of hepatics at Nishikoma Station Experimental Forest of Shinshu University (Ina City, Nagano Pref., Central Japan) /

州大学農学部附属AFC西駒ステーション演習林(長野県伊那市)のタイ類

[as2: Japan - Fr davurica, hamatiloba, muscicola, tamarisci ssp obscura -]

Naturalistae, 19, 57-60

[/ E] # 4117

Vellak K, Ingerpuu N, Leis M & Ehrlich L 2015

Annotated checklist of Estonian bryophytes.

[eur: Estonia - Fr dilatata, tamarisci -]

Folia Cryptog. Estonica, 52, 109-127

[/ E] # 2775

Zhang I, Zuo Q & Hong PI 2015

The miniature angels in the plant kingdom - The introduction to bryophyta (Chinese-English Edition)

[- Fr gemmulosa, muscicola -]

Guangdong Science & Technology Press, Guangzhou,

[P /] # 4329

2016

Abay G, Batan N & Özdemir T 2016

Bryophyte checklist of Rize, North-east Turkey

[as5: Turkey - Fr dilatata, jackii, tamarisci -]

Arctoa, 25, 386-392

[/ E] # 4421

Alam J, Ali I, Karim S, Islam M & Ahmad H 2016

Check list of Anthocerophyta and Marchantiophyta of Pakistan and Kashmir

[as3: Pakistan, India (Kashmir) - Fr gaudichaudii, inflata, muscicola, neurota, polyptera -]

Plant Science Today, 3 (2), 226-236

[/ E] # 4442

Alatas M, Kara R, Ezer T, Batab N & Özdemir T 2016

Contribution to the epiphytic flora and vegetation of the Lakes District in the Burdur region (Turkey)

[as5: Turkey - Fr dilatata -]

Turkish Journal of Botany, 40, 329-342

[/ E] # 4224

Atwood JJ 2016

New stations for *Frullania stylifera* (Frullaniaceae) outside of the type locality.

[am1: USA - Fr stylifera -]

Evansia, 33 (2), 96-100

[/ E] # 4262

Bakalin V A E A Borovichev & Katagiri T 2016

New national and regional bryophyte records, 47. 17. *Frullania subarctica* (Japan)

[- Fr subarctica -]

Journal of Bryology, 38 (2), 157

[/] # 4438

Bakalin V & Sinh NV 2016

The checklist of liverworts (Hepaticae) and hornworts (Anthocerotae) of Vietnam updated based on literature survey.

[as3: Vietnam - Fr alstonii, apiculata, campanulata, densiloba, ericoides, gracilis, hamatiloba, iwatsukii, junghuhniana, meyeniana, moniliata, monocera, nepalensis, neurota, nodulosa, orientalis, physantha, pocsantha, ramuligera, riojaneirensis, serrata, ternatensis - Checklist]

Tap Chi Sinh Hoc - Journal of Biology, 38 (4), 480-491

[/ E] # 4553

Bakalin V, Tigishvili K & Arutinov G 2016

A new checklist of the liverworts and hornworts of Georgia (Caucasus)

[Georgia - Fr dilatata, fragilifolia, jackii, tamarisci, parvistipula -]

Botanica Pacifica, 5 (1), 69-78

[/ E] # 4361

Bernal R, Gradstein SR & Celis M 2016

Catálogo de plantas y líquenes de Colombia. Vol. I. [with Liverworts, Mosses & Hornworts]

[am4: Colombia - Fr atrata, beyrichiana, bicornistipula, bogotensis, brasiliensis, caulisequa, clandestina, confertiloba, convoluta, crenulifolia, cuencensis, dulimensis, dusenii, ecklonii, ecuadoriensis, ericoides, exilis, formoasa, gibbosa, granatensis, grandifolia, guadlupensis, harpantha, intumescens, jelskii, kunzei, laxiflora, lobatohastata, macrocephala, meridiana, mirabilis, montagnei, moritziana, nodulosa, obscura, occanniensis, paradoxa, peruviana, pittieri, pluricarinata, repanda, ringens, riojaneirensis, sabanetica, setigera, sphaerocephala, standaertii, tetraptera, trianae, trollii, tunguraguana, winterii -]

U. Nacional de Colombia, , 1-1500

[/ E] # 4290

Bernard EA & Reeb C 2016

Additions to the bryophyte flora of Guadeloupe archipelago (Lesser Antilles)

[Guadeloupe - -]

Bryophyte Diversity and Evolution, 38 (2),

[/] # 4379

Blockeel TL & Nieuwkoop JAW 2016

The Bryophyte Flora of Lesbos, Greece

[- Fr dilatata, tamarisci -]

Herzogia, 29 (1), 1-34

[/] # 4613

Calleja JA, Mingorance L & Lara F 2016

Epiphytic Bryophyte Communities of *Prunus lusitanica* Iberian Forests: Biogeographic Islands Shaped by Regional Climates

[- Fr dilatata, fragilifolia, microphylla, oakesiana, tamarisci -]

Cryptogamie, Bryologie, 37 (1), 53-85

[/ E] # 4485

Carmo DM & Peralta DF 2016

Survey of bryophytes in Serra da Canastra National Park, Minas Gerais, Brazil

[am5: Brazil - Fr arecae, atrata, brasiliensis, breuteliana, ericoides, gibbosa, glomerata, kunzei, schaefer-verwimpii -]

Acta Botanica Brasilica, doi: 10.1590/0102-33062015abb0235, 12 pp.

[/ E] # 4241

Chandra S, Chandra D, Barh A, Pankaj Pandey RK & Sharma IP 2016

Bryophytes: Hoard of remedies, an ethno-medicinal review

[- Fr erioides [get rid of head lice], tamarisci [antiseptic activity] -]

Journal of Traditional and Complementary Medicine [in press], ,

[/ E] # 4237

Cornejo C & Scheidegger C 2016

Cyanobacterial gardens: the liverwort *Frullania asagrayana* acts as a reservoir of lichen photobionts.

[- Fr asagrayana -]

Environmental Microbiology Reports, 8 (3), 352-357

[/] # 4233

Davis DD 2016

An updated list of bryophytes from Fulton County, Pennsylvania

[am1: USA (Pennsylvania) - Fr eboracensis -]

Evansia, 33 (3), 145-152

[/ E] # 4470

Davis DD & Allen B 2016

An updated list of bryophytes from Fulton County, Pennsylvania

[am1: USA (PA) - Fr eboracensis - Pennsylvania, Fulton County, liverworts, mosses.]

Evansia, 33 (3), 145-152

[/ E] # 4486

Górski P, Smoczyk M, Rosadziński S, Staniaszek-Kik M, Klama H, Pawlikowski P, Wilhelm M, Topolska K & Rosińska M 2016

New distributional data on bryophytes of Poland and Slovakia, 7.

[eur: Poland - Fr dilatata -]

Steciana, 20 (3), 117-127

[/ E] # 4328

Graham JG, Fischer M & Pócs T 2016

Bryoflora and landscapes of the eastern andes of Central Peru: I. Liverworts of the El Sira Communal reserve.

[am4: Peru - Fr bicornistipula, crispiloba, ecuadoriensis, griffithiana, meridana, mirabilis, macrocephala -]

Acta Biologica Plantarum Agriensis, 4, 3-60

[/ E] # 4546

Gupta R & Asthana AK 2016

Diversity and Distribution of liverworts across habitats and altitudinal gradient at Pachmarhi Biosphere Reserve (India)

[as3: India - Fr ericoides -]

Plant Science Today, 3(4), 354-359

[/ E] # 4322

Halda J, Kučera J & Koval Š 2016

Atlas krkonošských mechorostů, lišejníků a hub 1 – mechorosty a lišejníky

[eur: Czech Republic - Fr dilatata -]

Správa Krkonošského národního parku, Vrchlabí, 440 pp

[/ E] # 4264

Higuchi M 2016

Bryophytes of Shibetsu Mire, Hokkaido, Japan

-In: 天然記念物標津湿原保全対策調査報告書 [Survey report on conservation measures of Natural Monument Shibetsu Marshland] Chapter 6

[as2: Japan - Fr cristata -]

, , 145-163

[/ E] # 4444

Hodgetts NG, Essilfie MK, Adu-Gyamfi A, Akom E, Kumadoh J & Opoku J 2016

Bryophytes of Atewa Forest, Eastern Region, Ghana.

[22 afr2: Ghana - Fr apicalis, apiculata, eplicata, spongiosa, variegata -]

Journal of Bryology, DOI: 10.1080/03736687.2016.114552587.2016.1145525,

[/ E] # 4268

Jiang Y-B & Shao X-M 2016

叶附生苔植物物种多样性分布格局及生态成因. / Diversity and distribution pattern of epiphyllous liverworts and its ecological determinants.

[- -]

Chinese Journal of Plant Ecology, 40, 523-532

[/ E] # 4499

Kapila S 2016

Cytological studies of some Indian liverworts.

[as3: India - Fr retusa -]

Lindbergia, 39, 7-11

[/ E] # 4226

Larraín J, Vargas R, Uribe-M J & von Konrat M 2016

The rediscovery of Frullania weberbaueri Steph.: The first record for Chile, its conservation status, and lectotypification

[am6: Chile - Fr weberbaueri -]

Gayana. Botánica., 73 (1), 19-25

[/ E] # 4265

Liu Y, Pi C & Tian S 2016

Bryophyte biodiversity of the Dabashan National Nature Reserve in Chengkou, Chongqing.

[as2: China - Fr acutiloba, davurica, inflexa, inouei, moniliata, muscicola, schensiana, sinensis, sinosphaerantha, wangii -]

Biodiversity Science, 24 (2), 1-16

[/ E] # 4174

Mishra M, Dash PK, Alam A Sahoo S & Das R 2016

Current status of diversity and distribution of Bryophytes of Odisha

[as3: India - Fr muscicola, squarrosa -]

Plant Science Today, 3 (2), 186-194

[/ E] # 4445

Mitani S 2016

A list of bryophytes of Kagawa Prefecture, Shikoku, Japan

[as2: Japan - Fr amplicrania, aoshimensis, davurica, densiloba, diversitexta, hamatiloba, inflata, kagoshimensis, monocera, motoyana, muscicola, parvistipula, pedicellata, tamarisci ssp obscura -]

Naturalistae, 20, 67-76

[/ E] # 4235

Mitani S 2016

A list of bryophytes of Kagawa Prefecture, Shikoku, Japan

[as2: Japan - Fr amplicrania, davurica, densiloba, diversitexta, ericoides, hamatiloba, inflata, kagoshimensis, monocera, motoyana, muscicola, parvistipula, pedicellata, tamarisci ssp obscura -]

Naturalistae, 20, 67-76

[/ E] # 4181

Müller F 2016

Moose - Bestandssituation und Schutz ausgewählter Arten in Sachsen

[eur: Germany (Sachsen) - Fr fragilifolia, tamarisci -]

Sächsisches Landesamt für Umwelt, Landwirtschaft und Geologie, Dresden, 128 pp.

[P / E] # 4564

NN 2016

Bryophytes du parc national de la Jacques-Cartier (Québec, Canada)

[am1: Canada (Québec) - Fr asagrayana, eboracensis, oakesiana -]

Lepagea, 10, 1-5

[/ E] # 4345

Oliveira HC & Oliveira SM 2016

Vertical distribution of epiphytic bryophytes in Atlantic Forest fragments in northeastern Brazil

[Brazil (Bahia) - Fr atrata, caulisequa, kunzei -]

Acta Botanica Brasilica, , 1-9

[/ E] # 4344

Özdemir T & Batan N 2016

New national and regional bryophyte records, 47. 18. Frullania teneriffae (Turkey)

[as5: Turkey - Fr teneriffae -]

Journal of Bryology, 38 (2), 157

[/ /] # 4440

Patiño J, Mateo RG, Zanatta F, Marquet A, Aranda SC, Borges PAV, Dirkse G, Gabriel R, Gonzalez-Mancebo JM, Guisan A, Muñoz J, Sim-Sim M & Vanderpoorten A 2016

Climate threat on the Macaronesian endemic bryophyte flora

[21 afr1: Azores, Madeira [Portugal], Canary Isl. [Spain] - Fr polystica, sergiae -]

Scientific Reports, 6: 29156, 12 pp.

[/ E] # 4443

Pereira Silva MP, Zickel CS & Pôrto KC 2016

Bryophyte communities of restingas in Northeastern Brazil and their similarity to those of other restingas in the country

[am5: Brazil - Fr dusenii, gibbosa, kunzei, nodulosa, laetevirens -]

Acta Botanica Brasilica, 30 (3), 455-461

[/ E] # 4312

Pócs T & Chantanaorrapint S 2016

Southern Thailand Bryophytes III: A preliminary study on non-epiphyllous taxa in lowland areas.

[as3: Thailand - Fr nodulosa -]

Songklanakarin Journal of Science and Technology, 38 (3), 311-318

[/ E] # 4270

Ragasa CY, Tan MCS, Alba LDV & Shen C-C 2016

A depside from *Frullania trichodes* Mitt.

[- Fr trichodes - Atranorin]

Der Pharmacia Lettre, 8 (5), 76-78

[/ E] # 4284

Ragsa CY, Tan MCS, Alba LDV & Shen C-C 2016

A depside from *Frullania trichodes* Mitt.

[- Fr trichodes - Chemical investigation of the dichloromethane extract]

Der Pharmacia Lettre, 8 (5), 76-78

[/ E] # 4292

Renner MAM 2016

Three's a crowd: a revision of the monotypic family Goebeliellaceae (Porellales: Jungermanniopsida).

[- Fr cornigera - Goebeliellaceae]

Telopea, 19, 79-97

[/ E] # 4267

Rios ANM, Silva Oliveira JP, Silva R, P Oliveira Neto JF, Oliveira LS, Peralta DF & Bottura DH 2016

Bryophyte diversity in an area of Brazilian Cerrado in Central-West / Briófitas de área de Cerrado da região Centro-Oeste do Brasil

[am5: Brazil - Fr dusenii, gibbosa -]

Neotropical Biology and Conservation, 11 (3), 132-140

[/ E] # 4386

Schäfer-Verwimp A & Van Melick HMH 2016

A contribution to the Bryophyte flora of Jamaica

[81 am3: Jamaica - Fr atrata, brasiliensis, caulisequa, convoluta, dulimensis, ericoides, gibbosa, intumescens, kunzei, obscura, rio-janeirensis, subtilissima -]

Cryptogamie, Bryologie, 37 (3), 305-348

[/ E] # 4260

Sérgio C, Carvalho P, Garcia CA, Almeida E, Novais V, Sim-Sim M, Jordão H & Sousa AJ 2016
Floristic changes of epiphytic flora in the Metropolitan Lisbon area between 1980–1981 and 2010–2011 related to urban air quality.

[eur: Portugal - Fr dilatata - City ecology]

Ecological Indicators, 67, 839–852

[/ E] # 4244

Singh DK & Singh D 2016

Epiphyllous Liverworts of India: An Overview

[as3: India - Fr apiculata, muscicola var inuena, pran-nathii, tamarisci ssp tamarisci -]

Plant Science Today, 3 (2), 157-174

[/ E] # 4242

Singh DK Singh SK & Singh D 2016

Liverworts and hornworts of India. An annotated checklist.

[as3: India - Fr acutiloba, alstonii var pfeidereri, apiculata, arecae, berthoumieuii, calcarata, campanulata, davurica, debilis, densiloba, dilatata, dilatata ssp asiatica, duthiana, ericoides, evelynae, evelynae var devendrae, evelynae var srivastavae, evoluta, gaudichaudii, gaudichaudii var. ceylanica, gemmulosa, girdaliana, gracilis, gracilis ssp zennoskei, grandistipula, hattoriantha, himalayensis, inflata, inflata var dioica, inflexa, intermedia, larjiana, larjiana var didyhattii, meyeniana, mizoramensis, moniliata, monocera, montana, muscicola, muscicola var inouea, nepalensis, neurota, nodulosa, pallide-virens, pariharii, pariharii f. intermedia, physantha, polyptera, pran-nathii, pseudoschensiana, pseudoschensiana var darjeelingensis, ramuligera, retusa, retusa v gymnantha, retusa v hirsuta, rhytocola, rhytidantha, riojaneirensis, riparia, schensiana, serrata, shanensis, sharpantha, sphaerantha, subclavata, subpedicellata, tagawana, tamarisci, tuyamae, udarii, yuennanensis - Annotated checklist]

Botanical Survey of India, Kolkata,

[P /] # 4561

Singh SK & Kumar S 2016

A preliminary study on liverworts and hornworts of Tripura, North-East India

[as3: India (Tripura) - Fr campanulata -]

Nelumbo, 58, 130-151

[/] # 4558

Söderström L, Hagborg A, von Konrat M et al 2016

World checklist of hornworts and liverworts.

[- - World checklist - Marchantiophyta, Anthoceroophyta, nomenclature, taxonomy]

PhytoKeys, 59, 1–828

[/ E] # 4175

Táborská M & Procházková J 2016

Mechorosty doubrav národního parku podyjí na příkladu lokality lipina

Bryophytes of oak forests in the Podyji National Park as exemplified by the Lipina locality

[eur: Czech Republic - Fr dilatata, inflata -]

Bryonera, 57, 29-35

[/ E] # 4472

Yang J-D 2016

Frullania subtilis Steph. (Family Frullaniaceae), a species new for the liverwort flora of Taiwan

[as2: Taiwan - Fr subtilis -]

BryoString, 4, 1-6

[/ E] # 4541

Zemp F, Schnyder N & Danner E 2016

Mossflora des Kantons Luzern

[eur: Switzerland (Luzern) - Fr dilatata, fragilifolia, tamarisci -]

Mitteilungen der Naturforschenden Gesellschaft LuzernNaturmuseum Luzern & Naturforschende Gesellschaft Luzern NGL, 40Luzern, 1-382

[P /] # 4343

2017

Carter BE, Larraín J, Manukjanová A, Shaw B, Shaw AJ, Heinrichs J, de Lange P, Suleiman M, Thouvenot L & von Konrat M 2017

Species delimitation and biogeography of a southern hemisphere liverwort clade, *Frullania* subgenus *Microfrullania* (Frullaniaceae, Marchantiophyta)

[- Fr chevalieri, fertilis, junghuhniana, knightbridgei, lobulata, magellanica, microcaulis, microscopica, neocaledonica, parhamii, pseudomeyeniana, rostrata, scalaris, toropuku, truncatistyla -]

Molecular Phylogenetics and Evolution, 107, 16-26

[/ E] # 4326

Chandra S, Chandra D, Barh A, Pankaj Pandey RK & Sharma IP 2017

Bryophytes: Hoard of remedies, an ethno-medicinal review

[- Fr erioides [get rid of head lice], tamarisci [antiseptic acitivity] -]

Journal of Traditional and Complementary Medicine, 7, 94-98

[/ E] # 4559

Costa DP, Peralta DF, Buck WR, Larrain J & von Konrat M 2017

Serra do Curicuriari, Amazonas State, Brazil: The first bryofloristic analysis for a Brazilian mountain in the Amazonian forest.

[Brazil (Amazonas State) - Fr apiculata, caulisequa, kunzei -]

Phytotaxa, 302 (3), 201-217

[/ E] # 4580

Fariselli R, Speranza M & Aleffi M 2017

Bryological flora of the regional historic park of Monte Sole (Emilia-Romagna, Italy)

[eur: Italy - Fr dilatata -]

Italian Botanist, 3, 99-108

[/] # 4628

Gustinawati A, Briska LN & Fiki RS 2017

Diversity of epiphytic Bryophyte at Mount Telomoyo, Central Java, Indonesia in dry season (Abstract)

-In: International conference on biodiversity, Bandung, 20-21 May 2017

[Indonesia (Central Java) - Fr riojaneirensis -]

, , 55

[/ E] # 4588

Heinrichs J, Feldberg K, Müller P, Schäfer-Verwimp A, von Konrat M, Ilsemann B & Krings M 2017

Frullania pinnata spec. nov. (Frullaniaceae, Porellales), a new leafy liverwort in mid-Cretaceous Burmese amber from Myanmar

[- Fr pinnata - Fossil, amber]

Cretaceous Research (Accepted manuscript) - <https://doi.org/10.1016/j.cretres.2017.05.030> - download 2/6/2017, ,

[/] # 4615

Heinrichs J, Feldberg K, Müller P, Schäfer-Verwimp A, von Konrat M, Ilsemann B & Krings M 2017

Frullania pinnata spec. nov. (Frullaniaceae, Porellales), a new leafy liverwort in mid-Cretaceous Burmese amber from Myanmar

[- *Fr pinnata* - Fossil, amber]

Cretaceous Research, 78, 56-60

[/] # 4626

Heinrichs J, Feldberg K, Bechteler J, Müller P, Renner MAM, Vána J, Schäfer-Verwimp A & Schmidt AR 2017

A fossil genus of the Frullaniaceae (Porellales, Jungermanniopsida) from the mid-Cretaceous of Myanmar

[- *Protofrullania cornigera* - Fossil, amber]

Cretaceous Research, 74, 223-226

[/] # 4616

Larraín J & Bahamonde N 2017

Los briófitos de la Estancia Cerro Paine, Parque Nacional Torres del Paine, Magallanes, Chile

[am6: Chile (Magallanes) - *Fr fertilis* -]

Bol. Soc. Argent. Bot., 52 (1), 27-38

[/ E] # 4554

NN 2017

Frullania of the Southern Appalachians

[am1: USA - *Fr appalachiana*, *asagrayana*, *brittoniae*, *caulisequa*, *eboracensis*, *ericoides*, *inflata*, *kunzei*, *oakesiana*, *plana*, *riparia*, *virginica* - Key & images]

<https://mtuck.neocities.org/frullania.html> [accessed 5.3.2017], ,

[/ E] # 4531

Popp R 2017

Rare and Uncommon Bryophytes of Vermont. Vermont Natural Heritage Inventory

[am1: USA - *Fr bolanderi*, *brittoniae*, *inflata*, *oakesiana*, *plana*, *riparia*, *selwyniana* -]

Vermont Fish & Wildlife Department, , 11 p.

[/ E] # 4552

Renner SS, Heinrichs J & Sousa A 2017

The sex chromosomes of bryophytes: Recent insights, open questions, and reinvestigations of *Frullania dilatata* and *Plagiochila asplenioides*

[- *Fr dilatata*, *Plagiochila asplenioides* -]

Journal of Systematics and Evolution - Accepted Author Manuscript. doi:10.1111/jse.12266, ,

[/] # 4618

Rodriguez EFR, Licera KM & Izquierdo EA 2017

Catálogo de las briofitas de la región La Libertad, Perú / Catalogue of the bryophytes of La Libertad Region, Peru

[Peru - *Fr cucullata*, *haematocysta*, *intumescens*, *osculatiara*, *riparia squarrosa*, *tetraptera* -]

Arnaldoa, 24 (1), 247-266

[/] # 4629

Silva SE, Silva DN, Almeida T, Garcia CA ,Paulo OS & Sim-Sim M 2017

Age estimates of *Frullania* (Frullaniaceae, Porellales) main lineages: another example of rapid and recent diversification in liverwort evolution

[- *Fr cafraria*, *longistipula*, *sergiae* - fossil, liverworts, molecular clock, nuclear ITS, phylogeny, plastid DNA]

Systematics and Biodiversity, 15 (2), 156-165

[/ E] # 4424

Silva-e-Costa JC, Luizi-Ponzo AP, Resende CF & Peixoto PHP 2017

Spore germination, early development and some notes on the effects of in vitro culture medium on *Frullania ericoides* (Nees) Mont. (Frullaniaceae, Marchantiophyta)

[- Fr ericoides - endosporic development, Knop's medium, liverworts, nutrients, protonema, sporeling]

Acta Botanica Brasilica, ,

[/ E] # 4534

Strauss K, Jenkins J, Merrill G, DeLavoi C, Larrain ,J Briscoe L & von Konrat M 2017

Common mosses and liverworts of the Chicago region

[am1: USA - Fr eboracensis -]

[fieldguides.fieldmuseum.org] [865] version 1 02/2017, , 6 pp.

[/ E] # 4551

n.d.

Britton NL n.d.

List of Porto Rican Hepaticae, species marked with an asterisk are recorded in the literature.

The New York Botanical Garden, Mertz Digital Collections. Nathaniel and Elizabeth Britton archives.

[81 am3: Puerto Rico - Fr arietina, atrata, brasiliensis, gibbosa, hians, kunzei, riojaneirensis, replicata. squarrosa -]

<http://mertzdigital.nybg.org/cdm/compoundobject/collection/p15121coll2/id/2791/rec/7>, , 3 pp.

[/ E] # 3367

soon

Bartholomew-Began S, Breil D, Godfrey J, Hicks M, Hong W, Jessup S, Leonardi L, Redfearn PL, Schofield WB & Timme S soon

Flora of North America North of Mexico: vol. 29. Bryophytes, part 3. Liverworts & Hornworts.

[am1: USA, Canada - -]

Oxford University Press, , 700 pp.

[/] # 2653

Engel JJ & Glenny D soon

A flora of the liverworts and hornworts of New Zealand, Vol 2.

Monographs in Systematic Botany from the Missouri Botanical Garden.

[aust2: New Zealand - -]

Missouri Botanical Garden Press, St. Louis,

[/] # 3280

[/] as printed version available

[/ E] as electronical version available, pages related to *Frullania* ad least

[P / E] as printed and electronical version available

800 means number 800 in my *Frullania* archive

If something is missing, or if there are mistakes or errors, please send me an email.

If you are interested in a special copy, please let me know.

Gerhard Winter

email: gewin@gmx.net